



# Index by Toxins and Toxicants

Note: Chapter titles and page numbers are in **bold**. Page numbers followed by 't' refer to tables; page numbers followed by 'f' refer to figures.

Specific clinical signs/symptoms are NOT included in this index. Please refer to the **Clinical Signs and Syndromes Index**.

- Abamectin, 367  
  *see also* **Macrocyclic lactones**
- Abbreviation list, 841–847
- ABCD1-1Δ mutation, 325, 326, 368, 372, 373
- ABCDS of poisoned patient, 13–14
- Abilify®, 124  
  *see also* **Atypical antipsychotics**
- Abrus precatorius* (rosary pea, precatory bean), 883t
- Acaricide, amitraz *see* **Amitraz**
- ACE inhibitors *see* **Angiotensin-converting enzyme inhibitors (ACEIs)**
- Acebutolol, 147t  
  *see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Acetaldehyde, polycyclic polymer of *see* **Metaldehyde**
- Acetaminophen**, 4, 287–292  
  antidote, 290  
  clinical features, 289  
  complications, 291  
  course and prognosis, 292  
  detoxification, 290  
  diagnostics, 289–290  
  differential diagnosis, 289  
  drugs of choice, 290–291  
  etiology/pathophysiology, 287–288  
  signalment/history, 289  
  systems affected, 288  
  therapeutics, 290–291  
  toxicity, 288
- Acetamiprid, 619  
  toxicity, 620  
  *see also* **Imidacloprid and other neonicotinoids**
- Acetazolamide, 174t  
  *see also* **Diuretics**
- Acetylcholinesterase ("true" cholinesterase), 633  
  *see also* **Organophosphorus and carbamate anticholinesterase pesticides**
- Acetylcholinesterase inhibitor, anatoxin-a<sub>1</sub>, blue-green algae, 687
- N-acetylcysteine (NAC), 29, 290, 291
- Acetylsalicylic acid (ASA) *see* **Aspirin**
- Acidifying salts, 174t
- Acids**, 559–564  
  clinical features, 560–561  
  course and prognosis, 563  
  detoxification, 561  
  diagnostics, 561  
  differential diagnosis, 561  
  drugs of choice, 562  
  etiology/pathophysiology, 559–560  
  signalment/history, 560  
  therapeutics, 561–563  
  types, 559
- Aconitum* spp. (monkshood, Wolf's-bane, blue rocket), 881t
- Actaea* spp. (baneberry, doll's eye, cohosh), 877t
- Activated charcoal (AC), 6–7  
  as foreign object, 504
- Adderall® *see* **Amphetamines**
- Adhesives *see* **Glues and adhesives**
- Adonis* spp. (pheasant's eye, yellow oxeye), 879t
- Adrucil® *see* **5-fluorouracil (5-FU)**
- Adsorbents, 6–7
- Aesculus* spp. (horse chestnut, buckeye), 879t
- Aflatoxin, 472  
  *see also* **Mycotoxins (aflatoxin)**
- Afoxolaner *see* **Isoxazolines**

- Air fresheners, 609  
     *see also* Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers
- Air plant (*Kalanchoe* spp.), 876t
- Airway, management, 13
- Ajoene, 483
- Alanine aminotransferase (ALT), testing, toxicants, 44t
- Albendazole, 849t
- Albuterol, 139, 140  
     *see also* Beta-2 receptor agonists
- Alcohols, 61–65  
     antidotes and drugs of choice, 64  
     blood–brain barrier crossed, 62  
     clinical features of exposure, 63, 64  
     course and prognosis, 65  
     detoxification, 64  
     diagnostics, 63  
     differential diagnosis, 63  
     ethanol, *see* Ethanol  
     follow-up, 64  
     isopropanol, *see* Isopropanol  
     isopropyl alcohols, 61  
     methanol, *see* Methanol  
     neurotoxicity, 61, 62, 63, 64  
     pharmacokinetics, 62  
     prevention/avoidance, 65  
     short-chain, 61, 62, 64  
     signalment/history, 62–63  
     sources and types, 61, 62  
     systems affected, 62  
     therapeutics, 64–65  
     toxicity, 62  
     volatile, 64
- Alfentanil, 194t  
     *see also* Opiates and opioids
- Algae, blue-green *see* Blue-green algae (cyanobacteria)
- Algal blooms *see* Blue-green algae (cyanobacteria)
- Algicides *see* Diquat and paraquat
- Alkaline batteries *see* Batteries
- Alkalis, 565–570  
     clinical features, 567  
     course and prognosis, 570  
     detoxification, 567–568  
     diagnostics, 567  
     differential diagnosis, 567  
     drugs of choice, 568–569  
     etiology/pathophysiology, 565–566  
     signalment/history, 566  
     therapeutics, 567–569
- Alkyl phenols, 598
- Allicin, 483
- Allium* species, 483  
     *see also* Onions and garlic
- Almonds (*Prunus* spp.), 715  
     *see also* Cyanogenic glycosides
- Aloe* spp. (aloe), 876t
- Alpha-2-adrenergic agonists (veterinary), 6, 355–360  
     antidotes, 358  
     clinical features, 357  
     course and prognosis, 359  
     detoxification, 358  
     diagnostics, 357  
     drugs included, 355  
     etiology/pathophysiology, 355–356  
     indications, 355  
     signalment/history, 356–357  
     systems affected, 356  
     therapeutics, 358–359  
     toxicity, 356
- Alpha-latrotoxin, 394
- Alpha-terpineol *see* Phenols and pine oils
- Alprazolam, 134, 135t  
     *see also* Benzodiazepines
- Aluminium, in fireworks, 578t
- Aluminium phosphide, 812  
     *see also* Phosphides
- Amanita* mushrooms, 258, 260, 261  
     detoxification, 263  
     therapeutics, 263  
     *see also* Mushrooms
- Amanita ocreata* (destroying angel), 732, 733f, 734  
     *see also* Mushrooms
- Amanita phalloides* (death cap/angel), 732, 733f, 734  
     *see also* Mushrooms
- Amanitins, 732, 734, 735  
     *see also* Mushrooms
- Amaryllis (*Hippeastrum* spp.), 764, 765f, 767  
     *see also* Spring bulbs
- Amaryllis* spp. (belladonna lily), 877t
- Amatoxins, 732, 734  
     poisoning *see* Mushrooms
- Ambien® (zolpidem), 189, 190
- American Association of Veterinary Laboratory Diagnosticians (AAVLD), 52
- American bittersweet (*Celastrus scandens*), 876t
- Amietophrynus regularis* (*Bufo regularis*), 433  
     *see also* Toads, envenomation
- Amiloride, 174t  
     *see also* Diuretics
- Amitraz, 613–618  
     clinical features, 613, 615  
     course and prognosis, 617  
     detoxification, 616

**Amitraz** (*cont'd*)

diagnostics, 615–616  
 differential diagnosis, 615  
 drug interactions, 614, 617  
 etiology/pathophysiology, 613–614  
 signalment/history, 614–615  
 systems affected, 614  
 therapeutics, 616–617  
 trade names, 613

Amitraz collars, 613, 614, 616

Amlodipine, 16, 159

*see also* **Calcium channel blockers (CCBs)**

Ammonia (serum), testing, toxicants, 44t

**Amphetamines**, 107–110

clinical features, 108  
 course and prognosis, 110  
 detoxification, 109  
 diagnostics, 108–109  
 differential diagnosis, 108  
 etiology/pathophysiology, 107–108  
 illicit, 107, 109  
 signalment/history, 108  
 systems affected, 108  
 therapeutics, 109–110

Amygdalin, 715

*Anabaena*, 687, 692, 698, 699

*see also* **Blue-green algae (cyanobacteria)**

Analgesics, topical, 870t

Anatoxin-A, 687, 688

clinical features due to, 688

*see also* **Blue-green algae (cyanobacteria)**

Anatoxin-a<sub>s</sub>, 687, 688

clinical features due to, 689

*see also* **Blue-green algae (cyanobacteria)**

Anatoxin toxicosis *see* **Blue-green algae (cyanobacteria)**

Anatoxins, 687

clinical features due to, 688

*see also* **Blue-green algae (cyanobacteria)**

Anavip®, 411

Androgen therapy, 184

Andromedotoxins *see* **Grayanotoxins**

Angel dust, 258, 276

Angel's trumpet (*Brugmansia* spp.), 876t

**Angiotensin-converting enzyme inhibitors (ACEIs)**, 111–116

antidote, 114  
 clinical features, 113  
 course and prognosis, 115  
 diagnostics, 114  
 differential diagnosis, 114  
 etiology/pathophysiology, 111–112  
 pharmacokinetics/toxicokinetics, 111–112  
 signalment/history, 113

systems affected, 113

therapeutics, 114–115

toxicity, 112–113

Angiotensin receptor blockers (ARBs), 113

Animal cruelty, reporting, 51

Animal Poison Control Centers (US), 37, 855

Ant and roach traps, 503

Anthurium (*Anthurium* spp.), 740, 740f

*see also* **Oxalates (insoluble)**

Anti-coral (elapid) antivenin, 20–21, 418

Antiarrhythmia therapy, 17–18

Antibiotics, topical, 870t

Anticholinergic agents, 35, 316

Anticholinergic toxidrome, 35

**Anticoagulant rodenticides (AR)**, 787–794

antidote, 792

clinical features, 789–790

common forms, 787, 787f

course and prognosis, 793

detoxification, 791

diagnostics, 790–791

differential diagnosis, 790

etiology/pathophysiology, 788–789

first-generation (FGARs), 787, 788

second-generation (SGARs), 787, 788

signalment/history, 789

therapeutics, 791–792

Anticonvulsant therapy *see* **Antiseizure medications**

Antidepressants

SNRIs, 201

SSRIs, 201

*see also* **SSRI and SNRI antidepressants**

**Antidotes and other useful drugs**, 13, 20–31, 864

N-acetylcysteine (NAC), 29, 864

antivenin (specific) - black widow spider, 22, 395–396

antivenin (specific) - crotalids (pit vipers), 21–22, 410

antivenin (specific) - elapid (coral snakes), 20–21, 418

antivenin (specific) - scorpion, 22

antivenoms, 20–22

*see also* **Antivenoms**

ascorbic acid, 653

atipamezole, 6, 27, 270, 305, 358, 452, 616

atropine, 27, 34, 35, 38, 150, 199, 263, 306, 436, 555, 637

BAL (dimercaprol), 23, 864

bisphosphonates, 25, 156, 805

calcium disodium EDTA, 22

CaNa<sub>2</sub> EDTA, 22, 659, 660, 864

categories, 20

- chemical (causal), 20–25  
 cyanide two-step kit, 721  
 cyproheptadine, 25, 36, 109, 132, 199, 204, 231, 255, 317, 466, 543  
 dantrolene, 26–27, 466  
 deferoxamine, 23, 653, 654  
 deferoxamine mesylate, 653  
 digoxin immune Fab fragments, 24  
 digoxin-specific Fab fragments, 712  
 dimercaptosuccinic acid (DMSA; succimer), 23–24, 659, 660, 864  
 dosages, 864  
 ethanol, 27–28  
 flumazenil, 28, 121, 132, 137, 191, 231  
 fomepizole (4-methyl pyrazole), 28, 66, 69, 76  
 functional, 20, 25–27  
 hydroxocobalamin (vitamin B<sub>12a</sub>), 721, 836  
 intravenous lipid emulsion (ILE), 9–10, 25–26, 127, 132, 150, 155, 162, 249, 256, 328, 381, 389, 550, 644, 798  
 leucovorin, 28  
 methocarbamol, 26, 109, 204, 214, 231, 237, 249, 255, 263, 281, 341, 365, 378, 396, 466, 480, 549, 555, 626, 643, 685, 761, 798  
 methylene blue, 28, 291, 581, 587, 602, 722  
 naloxone, 5, 29, 115, 121, 195t, 198, 270, 317, 327  
 D-penicillamine, 23, 864  
 pharmacological (physiological), 20, 27–30  
 phytonadione (vitamin K<sub>1</sub>), 26, 696, 702, 792  
 pralidoxime (2 PAM), 29–30, 34, 638, 816  
 protamine sulfate, 24–25  
 pyridostigmine, 30, 35  
 pyridoxine, 30, 345  
 skeletal muscle relaxants, 26–27  
 sodium thiosulfate, as antidote, 581, 721, 837  
 succimer (DMSA), 23–24, 659, 660, 864  
 tolazoline, 27, 358  
 trientine (TETA; 2,2,2 tetramine), 24  
 vitamin C (ascorbic acid), 653  
 vitamin K<sub>1</sub>, 26, 696, 702, 792  
 yohimbine, 6, 27, 263, 305, 358, 452, 531, 617, 643  
*see also specific poisonings*
- Antiemetics, for crotalid (pit vipers) bites, 411  
 Antifreeze, 66, 67, 71, 73  
*see also Ethylene glycol and diethylene glycol*  
 Antifungals, topical, 871, 871t  
 Antihelmintics, 848t–852t  
*see also Macrocytic lactones*  
 Antihistamines, topical, 871t  
 Antihypertensives, 16  
 Antimetabolite, 5-FU *see* 5-fluorouracil
- Antimony, in fireworks, 578t  
**Antiseizure medications**, 18, 117–123  
 clinical features, 119  
 course and prognosis, 122  
 detoxification, 120–121  
 diagnostics, 120  
 differential diagnosis, 120  
 drugs included, 118t  
 drugs of choice, 121  
 etiology/pathophysiology, 117–118  
 signalment/history, 119  
 systems affected, 117–118  
 therapeutics, 120–122
- Antiseptics, topical, 872t  
 Antitussives, dextromethorphan *see* **Dextromethorphan**
- Dextromethorphan**  
 Antivenoms, 20–22, 418  
 black widow spider, 22, 395–396  
 chelating agents, 22–24  
 crotalids (pit vipers), 21–22, 409–410  
 human antivenom, 409–410, 410–411  
 veterinary antivenom, 410  
 elapids (coral snakes), 20–21, 418–419  
 lyophilized, 410  
 reactions to, 410, 411, 418–419  
 scorpion, 22
- Aphanizomenon*, 687, 698, 699  
*see also Blue-green algae (cyanobacteria)*
- Aplastic anemia, testing and toxicants, 44t  
 Apomorphine, 5  
 Apple (*Malus* spp.), 715, 878t  
 Apricots (*Prunus* spp.), 715, 717f, 718f, 878t  
 kernels, 715, 717f, 719
- Aquaretics, 174t  
 Araceae family, plants, 740  
 Aracmyn® Antivenin, 396  
 Arginine vasopressin receptor 2 antagonists, 174t  
 Aripiprazole, 124  
*see also Atypical antipsychotics*
- Arizole *see* **Phenols and pine oils**  
 Arrowgrass (*Triglochin* spp.), 715  
 Arrowhead vine (*Syngonium* spp.), 740, 741f  
*see also Oxalates (insoluble)*
- Arsenic, 860t  
 Ascites, mycotoxins (aflatoxin), 473  
 Ascorbic acid  
 as antidote, 653  
 in propylene glycol poisoning, 76
- Asenapine, 124  
*see also Atypical antipsychotics*
- Asiatic lily (*Lilium asiatic*), 724, 724f, 725f  
 Aspartate aminotransferase (AST), testing, toxicants, 44t  
*Aspergillus* spp., aflatoxins, 472

**Aspirin, 293–298**

- clinical features, 294–295
- course and prognosis, 297
- detoxification, 296
- diagnostics, 295
- differential diagnosis, 295
- drugs of choice, 296
- etiology/pathophysiology, 293–294
- signalment/history, 294
- synonyms, 298
- systems affected, 294
- therapeutics, 296–297
- toxicity, 294

**Atenolol**

- pharmacokinetics, 146
- toxicity, 148
- see also* **Beta-blocker (beta receptor antagonists) ingestion**

Atipamezole, 6, 27, 270, 305, 358, 452, 616

Atlantic ivy (*Hedera helix*), 879t

Atopica®, 169

*see also* **Cyclosporine A**

Atropine, 17, 27, 34, 35

- as an antidote/drug of choice, 27, 34, 35, 38, 150, 199, 263, 306, 436, 555, 637
- plants containing, 258

**Atypical antipsychotics, 124–128**

- clinical features, 125
- course and prognosis, 127
- detoxification, 126
- diagnostics, 126
- differential diagnosis, 126
- drug interactions, 127
- drugs included, 124
- drugs of choice, 126–127
- etiology/pathophysiology, 124–125
- signalment/history, 125
- systems affected, 125
- therapeutics, 126–127

Australian tiger snake antivenin, 418

Automatic dishwashing detergents (ADWD), 605

*see also* **Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**

Automotive batteries *see* **Acids**

Autumn crocus (*Colchium autumnale*), 165, 876t

Ayahuasca tea, 259

**Azaleas and rhododendrons, 681–686, 681f, 682f, 683, 684**

- clinical features, 683–684
- course and prognosis, 686
- detoxification, 684
- diagnostics, 684
- differential diagnosis, 684
- drugs of choice, 685
- etiology/pathophysiology, 683

signalment/history, 683

therapeutics, 684–686

**Azoglycosides, 758**

*see also* **Sago palm (cycads)**

Bacitracin, 870t

**Baclofen, 129–133**

- blood–brain barrier crossed, 129
- clinical features, 130–131
- course and prognosis, 133
- detoxification, 131
- diagnostics, 131
- differential diagnosis, 131
- drugs of choice, 132
- etiology/pathophysiology, 129–130
- signalment/history, 130
- systems affected, 130
- therapeutics, 131–132

Bait traps, 503

Baking soda, 489, 490

Bamboo (*Bambusa* spp.), 715

*Bambusa* spp. (bamboo), 715

Band-Aids®, 503

Bandages, as foreign objects, 503

Baneberry (*Actaea* spp.), 877t

Barbiturates, 118t

Barium, 577, 860t

clinical features, 579

detoxification, 580

in fireworks, 577, 578t

*see also* **Matches and fireworks**

Barium chlorate, in fireworks, 578t

Barium chloride, 577

Barium nitrate, in fireworks, 578t

Barium sulfate, 4

Bark chips, 504

Basophilic stippling, testing, toxicants, 44t

Bath Salts, 226, 227, 228–229

drugs of choice for, 231

synonyms, 232

*see also* **Club drugs (MDMA, GHD, flunitrazepam, Bath Salts)**

Batrachotoxin, 421, 422, 423

clinical features, 425

course and prognosis after bite, 426

differential diagnosis, 425

toxicity, 423

**Batteries, 571–576**

automotive *see* **Acids**

clinical features, 573

course and prognosis, 575

detoxification, 574

diagnostics, 573

differential diagnosis, 573

disc/button, 571, 572, 574, 575

- dry cell, 571–572, 574
- etiology/pathophysiology, 571–572
- heavy metal toxicity with, 571, 572
- lithium ion, 571
- potassium hydroxide in, 565
  - see also Alkalis
- signalment/history, 573
- systems affected, 572
- therapeutics, 573–575
- Beer brewing, 464
  - see also Hops
- Bees, 438–445**
  - Africanized killer, 438, 443, 443f, 444f
  - Common eastern bumble (*Bombus impatiens*), 439f
  - Easter carpenter (*Xylocopa virginica*), 439f
  - honeybees, 441f, 443
  - stings, 441f
  - venom, 438, 440
  - see also Wasps, hornets and bees, envenomation
- Belladonna lily (*Amaryllis* spp.), 877t
- Benazepril, 112
  - see also Angiotensin-converting enzyme inhibitors (ACEIs)
- Benzene, 86
- Benzenol see Phenols and pine oils
- Benzimidazoles, 849t
- Benzocaine, 873t
- Benzodiazepines, 36, 37, 38, 134–138**
  - antidote and drugs of choice, 137
  - clinical features, 136
  - course and prognosis, 138
  - detoxification, 137
  - diagnostics, 136
  - differential diagnosis, 136
  - drugs on market, 134, 135t
  - etiology/pathophysiology, 134–135
  - signalment/history, 135–136
  - systems affected, 135
  - therapeutics, 137
- Benzoic acids (dicamba), 527
- Benzothiazepine, 159t
- Benzoyl peroxide, 872t
- Beryllium, in fireworks, 578t
- Beta-1 receptors, 145
- Beta-2 receptor agonists, 139–144**
  - clinical features, 141
  - course and prognosis, 143
  - detoxification, 142
  - diagnostics, 142
  - differential diagnosis, 141
  - drugs of choice, 142–143
  - etiology/pathophysiology, 139–140
  - signalment/history, 141
  - systems affected, 140
  - therapeutics, 142–143
- Beta-2 receptors, 145
- Beta-blocker (beta receptor antagonists) ingestion, 145–152**
  - clinical features, 149
  - course and prognosis, 152
  - detoxification, 149
  - diagnostics, 149
  - differential diagnosis, 149
  - drugs of choice, 150–151
  - etiology/pathophysiology, 145–146
  - pharmacokinetics, 146, 147t
  - signalment/history, 148
  - therapeutics, 150–151
  - toxicity, 148
- Beta-methylamino-L-alanine (BMAA), 758
  - see also Sago palm (cycads)
- Beta-N-methylamino-L-alanine (BMAA), 698
  - see also Blue-green algae (cyanobacteria)
- Beta receptor antagonists see Beta-blocker
- Betaxolol, 147t
  - see also Beta-blocker (beta receptor antagonists) ingestion
- Bifenthrin, differential diagnosis, 364
- Bile acids, testing, toxicants, 44t
- Bilirubin, testing, toxicants, 44t
- Biogenic amines, 440
  - see also Wasps, hornets and bees, envenomation
- Biotin, 345
- Biotoxins, 679–784**
- Birch bark extract see Xylitol
- Birch oil, 546
  - see also Essential oils and liquid potpourri
- Birch sugar see Xylitol
- Bisoprolol, 147t
  - see also Beta-blocker (beta receptor antagonists) ingestion
- Bisphosphonates (functional antidote), 25, 156, 805
- Bitter almond (*Prunus* spp.), 878t
- Bitter almond oil, 547
  - see also Essential oils and liquid potpourri
- Bittersweet, American (*Celastrus scandens*), 876t
- Black cherry (*Prunus* spp.), 715
- Black tar heroin, 265, 265
- Black widow spiders, 393–396, 393f**
  - antidotes, 22, 395–396
  - clinical features, 395
  - differential diagnosis and diagnostics, 395
  - drugs of choice, 396
  - etiology/pathophysiology, 394
  - neurotoxins, 394
  - signalment/history, 394
  - therapeutics, 395–396



- Bleach (household), 565, 566  
     *see also* Alkalis
- Bleeding heart (*Dicentra* spp.), 877t
- Blood, clinical signs of poisoning, 43t
- Blood gas analysis, 14, 16–17
- Blood meal *see* **Bone and blood meal**
- Blood pressure (BP), 15–16  
     monitoring, 15–16
- Blood products, for crotalid (pit vipers) bites, 411
- Blue-green algae (cyanobacteria), 687–703**  
     algal blooms, 687, 688, 692, 692f, 693, 694, 698  
     anatoxin-A, 687–691  
     anatoxins, 687–691  
     aplysiatoxin, 698, 699  
     clinical features, 688–689, 694–695, 700  
     complications, 690  
     course and prognosis, 691, 696, 703  
     cyanotoxin, 687, 692, 698  
     cylindrospermopsins, 698, 699  
     debromoaplysiatoxin, 698, 699  
     dermatotoxins, 698, 699  
     detoxification, 690, 695, 701  
     diagnostics and pathology, 689, 693f, 695, 701  
     dietary supplements containing, 692  
     differential diagnosis, 689, 694, 700  
     drugs of choice, 695–696, 702  
     etiology/pathophysiology, 687–688, 693–694, 699  
     lyngbyatoxin, 698, 699  
     microcystins, 692–697, 693  
     nodularins, 698, 699  
     other (dermatotoxins/nodularins/  
         cylindrospermopsins/BMAA/saxitoxins),  
         698–703  
     saxitoxins, 699  
     signalment/history, 688, 694, 700  
     therapeutics, 689–690, 695–696, 701–702  
     types and toxicity, 687, 688, 692, 698
- Blue rocket (*Aconitum* spp.), 881t
- Bluebonnet (*Lupinus* spp.), 881t
- BMAA (beta-methylamino-L-alanine), 698, 758  
     *see also* **Sago palm (cycads)**
- Bone and blood meal, 511–514, 511f**  
     clinical features, 512  
     course and prognosis, 514  
     detoxification, 513  
     diagnostics, 513  
     differential diagnosis, 512–513  
     drugs of choice, 513–514  
     etiology/pathophysiology, 512  
     signalment/history, 512  
     therapeutics, 513–514
- Bone meal *see* **Bone and blood meal**
- Bracken fern (*Pteridium aquilinum*), 715
- Bradykinin, 440  
     *see also* **Wasps, hornets and bees, envenomation**
- Bravecto® *see* **Isoxazolines**
- Bravecto Plus® *see* **Isoxazolines**
- Bread dough, fermented, 61, 62, 63, 449–453, 450**  
     clinical features, 450  
     course and prognosis, 453  
     detoxification, 451  
     diagnostics, 450–451  
     differential diagnosis, 450  
     etiology/pathophysiology, 449–450  
     signalment/history, 450  
     systems affected, 450  
     therapeutics, 451–452
- Breathing, management, 13–14
- Brimonidine *see* **Alpha-2-adrenergic agonists (veterinary)**
- Brintellix®, 201  
     *see also* **SSRI and SNRI antidepressants**
- Brodifacoum, 789  
     *see also* **Anticoagulant rodenticides (AR)**
- Bromadiolone, 788  
     *see also* **Anticoagulant rodenticides (AR)**
- Bromethalin, 795–800**  
     clinical features, 796–797  
     course and prognosis, 799  
     detoxification, 798  
     diagnostics, 797  
     differential diagnosis, 103, 364, 797  
     etiology/pathophysiology, 795–796  
     intravenous lipid emulsion (ILE), 798  
     signalment/history, 796  
     therapeutics, 798–799
- Bronchodilators, 139
- Brown recluse spiders, 397–401, 397f, 398f**  
     clinical features, 399  
     diagnostics, 400  
     differential diagnosis, 400  
     etiology/pathophysiology, 398–399  
     signalment/history, 399  
     therapeutics, 400–401
- Brugmansia* spp. (angel's trumpet), 876t
- Brunfelsamidine, 772
- Brunfelsia* spp., 771, 771f, 772, 772f, 776  
     *see also* **Yesterday, today, and tomorrow plant**
- Bucindolol, 147t  
     *see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Buckeye (*Aesculus* spp.), 879t
- Bufadienolides, 434, 437, 704  
     *see also* **Cardiac glycosides**
- Bufagenins, 434
- Bufo* species, 433  
     *see also* **Toads, envenomation**

- Bufonidae, species, 433  
     *see also* **Toads**  
 Bufotenins, 434  
 Bufotoxins, 434  
 Builders  
     in soaps and detergents, 605, 606  
     *see also* **Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**  
 Bulbs, spring *see* **Spring bulbs**  
 Buprenorphine, 193, 194t  
     for crotalid (pit vipers) bites, 411  
     *see also* **Opiates and opioids**  
 Butenafine, 871t  
 Butoconazole, 871t  
 Butorphanol, 194t  
     *see also* **Opiates and opioids**  
 Button batteries *see* **Batteries**
- Cade oil *see* **Phenols and pine oils**  
 Cadmium, 861t  
     *see also* **Calcium channel blockers**  
 Caffeine, 347, 454, 504  
     pharmacokinetics, 454  
     *see also* **Chocolate and caffeine**  
 Calcipotriene, 153–157  
     clinical features, 154  
     course and prognosis, 157  
     detoxification, 155  
     diagnostics, 154–155  
     differential diagnosis, 154  
     drugs of choice, 156  
     etiology/pathophysiology, 153–154  
     signalment/history, 154  
     systems affected, 154  
     therapeutics, 155–157  
 Calcitriol (1,25-dihydroxycholecalciferol), 801  
     synthetic analog *see* **Calcipotriene**  
 Calcium, 345  
     toxicity, 346  
     *see also* **Vitamins and minerals**  
 Calcium acetate, 299  
 Calcium-alkali syndrome, 299  
 Calcium carbonate, 299  
 Calcium channel blockers (CCBs), 158–164  
     classes, 159t  
     clinical features, 160  
     course and prognosis, 163  
     detoxification, 161  
     diagnostics, 160–161  
     differential diagnosis, 160  
     drugs of choice, 161–162  
     etiology/pathophysiology, 158–160  
     signalment/history, 160  
     systems affected, 159–160  
     therapeutics, 161–163  
 Calcium chlorate, in fireworks, 578t  
 Calcium chloride, 97, 299  
 Calcium citrate, 299  
 Calcium disodium EDTA, as chelating agent, 22  
 Calcium disodium versenate (CaNa<sub>2</sub> EDTA), as chelating agent, 22, 659, 660, 864  
 Calcium gluconate, 70, 97, 299  
 Calcium hydroxide *see* **Alkalis**  
 Calcium oxalate crystals, 69  
**Calcium supplements, 299–302**  
     clinical features, 300–301  
     course and prognosis, 302  
     diagnostics, 301  
     differential diagnosis, 301  
     etiology/pathophysiology, 299–300  
     signalment/history, 300  
     systems affected, 300  
     therapeutics, 301–302  
**Calculations, sample, 865–868**  
     conversion equivalents, 867–868  
     potential for toxicosis, 866–867  
     toxicological exposure, estimate, 865–866  
 Calla lily (*Zantedeschia* spp.), 740, 741f, 877t  
     *see also* **Oxalates (insoluble)**  
 Camphor, 583, 870t  
 Candelabra plant (*Aloe* spp.), 876t  
**Cannabidiol (CBD), 219–225, 243**  
     clinical features, 222  
     course and prognosis, 224  
     detoxification, 223  
     diagnosis, 223  
     differential diagnosis, 222–223  
     drug interactions, 223–224  
     etiology/pathophysiology, 220–222  
     products, 219–220, 219f  
     signalment/history, 222  
     sources, 219, 220, 224  
     systems affected, 222  
     therapeutics, 223–224  
     toxicity, 221–222  
     unregulated use, 220, 220f  
 Cannabidiolic acid (CBDA), 219  
 Cannabinoid receptors, 220, 221, 246, 278  
 Cannabinoids  
     synthetic *see* **Synthetic cannabinoids (SCBs)**  
     *see also* **Marijuana (THC)**  
 Cannabis *see* **Marijuana (THC)**  
 Cannabis plants, 219  
 Cannabis sativa (hemp), 219, 243, 244f  
 Captopril, 112  
     *see also* **Angiotensin-converting enzyme inhibitors (ACEIs)**  
 Carac® *see* **5-fluorouracil (5-FU)**



- Carbamates, 633, 634  
  pharmacokinetics, 634  
  therapeutics, 637–639  
  toxicity, 634  
  see also **Organophosphorus and carbamate anticholinesterase pesticides**
- Carbamazine, 118t, 119  
  see also **Antiseizure medications**
- Carbapenems, 121
- Carbolic acid see **Phenols and pine oils**
- Carbon monoxide (CO)**, 827–831  
  clinical features, 828  
  course and prognosis, 830  
  detoxification, 829–830  
  diagnostics, 829  
  differential diagnosis, 829  
  etiology/pathophysiology, 827–828, 834  
  signalment/history, 828  
  as “silent killer”, 830  
  smoke inhalation and, 828, 833  
  sources, 827  
  therapeutics, 829–830
- Carbonic anhydrase inhibitors, 174t
- Carboxyhemoglobin (COHb), testing, 44t
- Cardboard palm (*Zamia furfuracea*), 756, 758f  
  see also **Sago palm (cycads)**
- Cardiac glycosides**, 704–714  
  antidote, 712  
  clinical features, 711  
  course and prognosis, 713  
  detoxification, 712  
  diagnostics, 711–712  
  differential diagnosis, 711  
  drugs of choice, 712–713  
  etiology/pathophysiology, 710  
  plant sources, 704, 705f–709f  
  signalment/history, 710–711  
  therapeutics, 712–713
- Cardiotoxic cardenolides, 704  
  see also **Cardiac glycosides**
- Cardiovascular support, 17–18
- Carfentanil, 194t  
  see also **Opiates and opioids**
- Carprofen, 385, 386  
  see also **NSAIDs (veterinary)**
- Carteolol, 147t  
  see also **Beta-blocker (beta receptor antagonists) ingestion**
- Carvedilol  
  pharmacokinetics, 146  
  toxicity, 148  
  see also **Beta-blocker (beta receptor antagonists) ingestion**
- Cassava (*Manihot esculenta*), 715
- Cassia oil, 546  
  see also **Essential oils and liquid potpourri**
- Castor bean (*Ricinus communis*)., 877t
- Cat litter, clumping, 504
- Catecholamines, toad venom, 434
- Cathartics, 7
- Cathedral bells (*Kalanchoe* spp.), 876t
- Cathinones, 227  
  see also **Club Drugs (MDMA)**
- CBD see **Cannabidiol (CBD)**
- Celastrus scandens* (American bittersweet), 876t
- Celiprolol, 147t  
  see also **Beta-blocker (beta receptor antagonists) ingestion**
- Cement, uncured, 565  
  see also **Alkalis**
- Center for Veterinary Medicine (CVM), 53, 54, 55
- Certifect® see **Amitraz**
- Cesium (cesium nitrate), in fireworks, 578t
- Charcoal/barbeque briquettes, 504
- Chelating agents, 22–24
- Chemical analysis, 46, 55
- Chemicals, garden/yard or farm see **Garden, yard and farm chemicals**
- Cherry (*Prunus* spp.), 715, 878t
- Chewing gum, sugarless, 495, 498  
  see also **Xylitol**
- Chinaberry tree (*Melia azedarach*), 878t
- Chinese evergreen (*Aglaonema commutatum*), 740, 742f  
  see also **Oxalates (insoluble)**
- Chlorates, 577, 578  
  clinical features, 579  
  detoxification, 580  
  in fireworks, 577  
  see also **Matches and fireworks**  
  in matches, 577  
  see also **Matches and fireworks**
- Chlordiazepoxide, 135t  
  see also **Benzodiazepines**
- Chlorinated phenols see **Phenols and pine oils**
- Chlorine, in fireworks, 578t
- Chlorophacinone, 788  
  see also **Anticoagulant rodenticides (AR)**
- Chlorophenol, 598
- Chlorpyrifos, 633, 635  
  see also **Organophosphorus and carbamate anticholinesterase pesticides**
- Chocolate and caffeine**, 454–459  
  clinical features, 456  
  course and prognosis, 458  
  detoxification, 457  
  diagnostics, 456–457  
  differential diagnosis, 456

- drugs of choice, 457–458
- etiology/pathophysiology, 454–455
- signalment/history, 456
- sources and constituents, 454
- systems affected, 455
- therapeutics, 457–459
- Choke cherry (*Prunus* spp.), 715, 716f, 878t
- Cholecalciferol, 801–806**
  - clinical features, 803
  - course and prognosis, 806
  - detoxification, 804
  - diagnostics, 803–804
  - differential diagnosis, 803
  - drugs of choice, 804–805
  - etiology/pathophysiology, 801–802
  - metabolism and mechanism of action, 801
  - signalment/history, 802–803
  - therapeutics, 804–806
  - see also* Vitamin D<sub>3</sub> (cholecalciferol)
- Cholestyramine, 7
- Cholinergic neurotransmission
  - blue-green algal toxins, 687
  - inhibition, 35
  - overstimulated, 34
- Cholinergic toxidrome, 34
- Cholinesterase, testing, toxicants, 44t, 636
- Cholinesterase inhibitors, 633
  - see also* Organophosphorus and carbamate anticholinesterase pesticides
- Christmas rose (*Helleborus niger*), 878t
- Chromium, 861t
- Chrysanthemum* flowers, pyrethrins from, 640
- Cigarettes, 338t
- Cinnamaldehyde, 546
- Cinnamon oil, 546
  - see also* Essential oils and liquid potpourri
- Circulation, management, 14
- Citrus aurantium, 347
- Citrus oil, 546
  - see also* Essential oils and liquid potpourri
- Cleaning products
  - phenols and pine oils, 598
  - see also* Phenols and pine oils; Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers
- Clenbuterol, 139
  - see also* Beta-2 receptor agonists
- Clevipidine, 16, 159t
  - see also* Calcium channel blockers (CCBs)
- Client communication, 50
- Client confidentiality, 50–51
- Clinical signs, 43, 43t, 54
- Clonazepam, 135t
  - see also* Benzodiazepines
- Clonidine *see* Alpha-2-adrenergic agonists (veterinary)
- Clorazepate, 135t
  - see also* Benzodiazepines
- Clothianidin, 619
  - toxicity, 621
  - see also* Imidacloprid and other neonicotinoids
- Clotrimazole, 871t
- Clove oil, 546
  - see also* Essential oils and liquid potpourri
- Clozapine, 124
  - see also* Atypical antipsychotics
- Clozaril®, 124
  - see also* Atypical antipsychotics
- Club drugs (MDMA, GHD, flunitrazepam, Bath Salts), 226–232, 226f**
  - clinical features, 228–229
  - detoxification, 230
  - diagnostics and pathology, 229–230
  - differential diagnosis, 229
  - drugs of choice for, 231
  - etiology/pathophysiology, 227–228
  - police dogs, 228
  - signalment/history, 228
  - therapeutics, 230–231
- Coal tar, derivatives from, 598
  - see also* Phenols and pine oils
- Cobalamin *see* Vitamin B<sub>12</sub> (cobalamin)
- Cocaine, 233–238, 233f**
  - adulterants, 236
  - clinical features, 235
  - course and prognosis, 238
  - “cut”, ingredients, 233
  - detoxification, 236–237
  - diagnostics, 236
  - differential diagnosis, 235–236
  - drugs of choice, 237
  - etiology/pathophysiology, 234–235
  - police dogs, 235
  - signalment/history, 235
  - synonyms, 238
  - therapeutics, 236–238
  - toxicity, 234–235
- Cocaine hydrochloride, 233
- Cocoa bean mulch, 504
- Codeine, 194t, 266
  - toxicity, 267
  - see also* Opiates and opioids
- Cohosh (*Actaea* spp.), 877t
- Coins, as foreign object, 504
- Colchicine, 165–168**
  - clinical features, 166–167
  - course and prognosis, 168
  - detoxification, 167

**Colchicine** (*cont'd*)

- diagnostics, 167
- differential diagnosis, 167
- drugs of choice, 167
- etiology/pathophysiology, 165–166
- signalment/history, 166
- systems affected, 166
- therapeutics, 167–168
- toxicity, 166
- uses, 165

*Colchicum autumnale* (autumn crocus), 876t

Colorado River toad, 433, 437

*see also* **Toads, envenomation**

Common ivy (*Hedera helix*), 879t

Companion animal practitioners, medico-legal considerations *see* **Medico-legal considerations**

Complaints, veterinary misconduct, 48, 50

*see also* **Medico-legal considerations**

Compound 1080® *see* **Sodium monofluoroacetate (compound 1080®)**

Concentrations, conversion, 868

Concerta® *see* **Amphetamines**

Confidentiality, client, 50–51

Consent form, 50

**Construction and industrial materials**, 79–98

glues and adhesives *see* **Glues and adhesives**

hydrocarbons *see* **Hydrocarbons**

hydrofluoric acid *see* **Hydrofluoric acid (HF)**

Consultation, veterinary, 51–52

*Convallaria majalis* (lily of the valley), 707f, 880t

*see also* **Cardiac glycosides**

Conversion equivalents, 867–868

Coontie plant *see* **Sago palm (cycads)**

Copper, 345, 861t

in fireworks, 578t

toxicity, 348

*see also* **Vitamins and minerals**

Copper chloride, in fireworks, 578t

Copper halides, in fireworks, 578t

Coralmyl®, 418

Corticosteroids, topical, 872t

Cough suppressants, dextromethorphan *see* **Dextromethorphan**

COX-1/COX-2 inhibitors, 319, 385, 386

Crabapple (*Malus* spp.), 878t

Crack cocaine, 233, 234f, 238

Crayons/markers, as foreign object, 504

Creatine kinase (CK) increase, testing, toxicants, 44t

Creosol, 598

*see also* **Phenols and pine oils**

Creosote, 598

*see also* **Phenols and pine oils**

Cresolic acid *see* **Phenols and pine oils**

*Crocus*, 764, 764f, 767

*see also* **Spring bulbs**

*Crocus*, autumn (*Colchicum autumnale*), 876t

CroFab® antivenom, 410

**Crotalids (pit vipers)**, 402–413

antivenoms, 409–410

bites, 402, 405, 405f

clinical features, 408

course and prognosis, 412

detoxification, 409

diagnostics, 409

differential diagnosis, 408

drugs of choice, 411

dry bites, 402, 408

etiology/pathophysiology, 405–407

neurotoxins, 407

precautions/interactions, 411–412

rattlesnakes, 402, 403f, 404f, 405f, 407

signalment/history, 407–408

systems affected, 407

therapeutics, 409–412

toxicity, 407

*see also* **Snakes**

*Crotalus* spp., 402, 403f, 404f, 407

Crystalloid fluid therapy, 17

propylene glycol poisoning, 76

Crystalluria, testing, toxicants, 44t

Currants *see* **Grapes and raisins**

Cuscohygrine, 773

Cyanide poisoning, 719

acute, 719

from plants, 715, 717

smoke inhalation and, 833

Cyanoacrylate glues/adhesives, 81, 82, 85

Cyanobacteria *see* **Blue-green algae (cyanobacteria)**

**Cyanogenic glycosides**, 715–722

antidotes, 721

clinical features, 719

course and prognosis, 722

detoxification, 720

diagnostics, 720

differential diagnosis, 720

drugs of choice, 721–722

etiology/pathophysiology, 715–716

signalment/history, 719

therapeutics, 720–722

toxicokinetics and toxicity, 719

types, and plant sources, 715

Cyanotoxin, 687, 692

hepatotoxic, 692

*see also* **Blue-green algae (cyanobacteria)**

Cyanuric acid, 53

Cycadaceae plants *see* **Sago palm** (cycads)

Cycads *see* **Sago palm** (cycads)

*Cycas revoluta* (king sago), 756

*see also* **Sago palm** (cycads)

*Cycas* spp., 756, 757f

Cycasin, 758

*see also* **Sago palm** (cycads)

*Cyclamen persicum* (Persian violet,  
sowbread), 882t

Cyclopeptides, hepatotoxic, 732

**Cyclosporine A**, 169–172

clinical features, 171

course and prognosis, 172

diagnostics, 171

differential diagnosis, 171

etiology/pathophysiology, 169–170

signalment/history, 170

systems affected, 170

therapeutics, 171–172

Cylindrospermopsins, 698

*see also* **Blue-green algae** (cyanobacteria)

*Cylindrospermopsis*, 698, 699

CYP1A2 enzyme deficiency, 456

CYP450 isoenzymes, 124, 127, 223, 315

Cyproheptadine, as antidote, 25, 36, 109, 132,  
199, 204, 231, 255, 317, 466, 543

Cystolamine *see* **Phenylpropanolamine** (PPP)

2,4-D, 527, 528, 528t, 529

*see also* **Herbicides**

Daffodil (*Narcissus* spp.), 764, 765f, 767, 882t

*see also* **Spring bulbs**

Dantrolene, as functional antidote, 26–27, 466

*Daphne mezereum* (daphne, spurge olive), 878t

*Datura* spp. (thorn apple, jimsonweed), 883t

Daylily (*Hemerocallis* spp.), 723, 724,  
728f, 729f

Deadly nightshade (*Atropa belladonna*), 258

Death cap mushroom (death angel; *Amanita*  
*phalloides*), 732, 733f, 734

*see also* **Mushrooms**

**Decongestants** (imidazolines), 303–307, 304

antidotes, 305

clinical features, 304

course and prognosis, 307

detoxification, 305

diagnostics, 305

differential diagnosis, 304–305

drugs included, 303, 307

drugs of choice, 306

etiology/pathophysiology, 303–304

signalment/history, 304

systems affected, 304

therapeutics, 305–306

**Decongestants** (pseudoephedrine/  
phenylephrine), 36, 308–313, 314

clinical features, 310

course and prognosis, 311

detoxification, 310–311

diagnostics, 310

differential diagnosis, 310

etiology/pathophysiology, 308–309

signalment/history, 309

synonyms, 311

systems affected, 309

therapeutics, 310–312

toxicity, 309

**Decontamination and detoxification of poisoned  
patient**, 3–12, 13, 37–38

activated charcoal, 6–7

adsorbents, 6–7

cathartics, 7

definition, 3

dermal, 3–4

diuresis, 9

emesis, 4–6, 37

emetic agents, 5–6

extracorporeal therapy (ECT), 10–11

gastric lavage, 7–9, 8f, 37–38

gastrointestinal, 37–38

intravenous lipid emulsion (ILE) *see* **Antidotes  
and other useful drugs**

ocular decontamination, 3, 37

*see also* **specific toxins**

Deferoxamine (antidote), 23, 653, 654

Deferoxamine mesylate, as antidote, 653

Defoliants *see* **Diquat and paraquat**

Delphinium (*Delphinium* spp.), 879t

Deodorizer, 605

*see also* **Soaps, detergents, fabric softeners,  
enzymatic cleaners and deodorizers**

Deracoxib, 385, 386, 387

*see also* **NSAIDs** (veterinary)

Dermal decontamination, 3–4

Desert rose (*Adenium obesum*), 704, 705f

Desiccant, diquat *see* **Diquat and paraquat**

Desiccated thyroid (T3/T4), 211, 212

Detergents *see* **Soaps, detergents, fabric  
softeners**

Detomidine *see* **Alpha-2-adrenergic agonists  
(veterinary)**

Detoxification *see* **Decontamination and  
detoxification of poisoned patient**

Devil's ivy (*Epipremnum* spp.), 740, 883t

*see also* **Oxalates** (insoluble)

Dexedrine® *see* **Amphetamines**

Dexmedetomidine *see* **Alpha-2-adrenergic  
agonists** (veterinary)

- Dextromethorphan**, 258, 314–318  
 clinical features, 315–316  
 detoxification, 316  
 diagnostics, 316  
 differential diagnosis, 316  
 drugs of choice, 317  
 etiology/pathophysiology, 314–315  
 signalment/history, 315  
 systems affected, 315  
 therapeutics, 316–317  
 toxicity, 315
- Diagnosis of poisoning**, 41  
 checklist for information collection, 42t  
 chemical analysis *see* **Laboratory diagnostics**  
 clinical laboratory evaluation *see* **Diagnostic testing**  
 clinical signs, 43, 43t  
 history taking, 32–33, 41–42  
 pet food-related illness, 46, 54  
 postmortem lesions, 45, 45t  
*see also individual toxins/toxicants*
- Diagnostic testing**, 33–34  
 chemical analysis, 46  
 clinical laboratory evaluation, 43–44, 44t  
 environmental/food sampling, 46  
 getting the most from, 46  
 pet food-related illness, 54, 55  
 postmortem lesions/samples, 45, 45t  
*see also individual toxins/toxicants*
- Diazepam**, 134, 135t  
*see also* **Benzodiazepines**
- Diazinon**, 633  
*see also* **Organophosphorus and carbamate anticholinesterase pesticides**
- Dibucaine**, 873t
- Dibutyl phthalate** *see* **Glow jewelry and toys (dibutyl phthalate); Glow jewelry and toys (dibutyl phthalate)**
- Dicamba**, 528, 528t, 529, 530  
*see also* **Herbicides**
- Dicentra** spp. (bleeding heart, Dutchman's breeches), 877t
- Dieffenbachia** spp., 740, 742f, 745  
*see also* **Oxalates (insoluble)**
- Diesel fuel**, 87
- Diethylene glycol** *see* **Ethylene glycol and diethylene glycol**
- Difenacoum**, 788  
*see also* **Anticoagulant rodenticides (AR)**
- Difethialone**, 788  
*see also* **Anticoagulant rodenticides (AR)**
- Digibind®**, for toad envenomation, 436
- Digitalis**, 711
- Digitalis** spp. *see* **Foxglove (Digitalis purpurea)**
- Digitoxin**, 704
- Digoxin**, 704
- Digoxin immune Fab fragments (antidote)**, 24
- Dihydropyridine**, 159t
- Dihydropyridone overdose**, 113
- 1,25-Dihydroxycholecalciferol (calcitriol)**, 801
- Diisocyanate glues**, 81, 82, 83, 85
- Diltiazem**, 17, 159  
*see also* **Calcium channel blockers (CCBs)**
- Dimercaprol (BAL) (antidote)**, 23, 864
- Dimercaptosuccinic acid (DMSA; succimer)**, as  
 antidote, 23–24, 659, 660, 864
- N,N-Dimethyltryptamine (DMT)**, 259
- Dinitroanilines**, 527
- Dinitrophenol**, 598
- Dinotefuran**, 619  
 toxicity, 621  
*see also* **Imidacloprid and other neonicotinoids**
- Diphacinone**, 788  
*see also* **Anticoagulant rodenticides (AR)**
- Diphenhydramine**, 871t
- Diprenorphine**, 194t  
*see also* **Opiates and opioids**
- Diquat and paraquat**, 515–522  
 clinical features, 517, 519  
 comparative toxicity of paraquat, 518t  
 course and prognosis, 522  
 detoxification, 520  
 diagnostics, 519–520  
 differential diagnosis, 519  
 etiology/pathophysiology, 515–517, 516f  
 extracorporeal therapy, 521  
 free radicals, 515  
 oxygen therapy contraindicated, 521  
 signalment/history, 517  
 systems affected, 516f, 517  
 therapeutics, 520–521
- Disc batteries** *see* **Batteries**
- Dish soap**, 4–5
- Dissociative agents**, 258  
*see also* **Hallucinogens and dissociative agents**
- Diterpenoid grayanotoxins**, 683  
*see also* **Azaleas and rhododendrons**
- Diuresis**, 9
- Diuretics**, 173–179  
 clinical features, 176, 176t  
 course and prognosis, 178  
 diagnostics, 177  
 differential diagnosis, 176–177  
 etiology/pathophysiology, 173–175, 174t  
 loop, 174t  
 osmotic, 174t  
 potassium-sparing, 174t  
 signalment/history, 176  
 systems affected, 175, 176t

- therapeutics, 177–178
- types, 174t
- Dobutamine, 18, 163
- Dogbane (*Apocynum*), 704
- Doll's eye (*Actea* spp.), 877t
- Dopamine, 18, 35, 174t
  - calcium channel blocker ingestion, 163
- Doramectin, 367
  - see also **Macrocyclic lactones**
- Dosage, making the poison, 41
- Drain cleaners, acid see **Acids**
- Dronabinol, 243
  - see also **Marijuana (THC)**
- Drug-detecting dogs, opiate/opioid exposure, 266, 269
- “Drug mules”, 266, 268
- Drugs (veterinary prescription)**, 353–389
  - see also *specific drugs/drug groups*
- Drugs, human prescription**, 99–216
  - see also *specific drugs/drug groups*
- Drugs, illicit and recreational**, 217–283
  - see also *specific drugs*
- Dry cell batteries see **Batteries**
- Duloxetine (Cymbalta®), 201
  - see also **SSRI and SNRI antidepressants**
- Dumbcane (*Dieffenbachia* spp.), 740, 742f, 745
  - see also **Oxalates (insoluble)**
- DUMBSLED mnemonic, 635, 639
- Dutchman's breeches (*Dicentra* spp.), 877t
- Ear buds, 504
- Easter lily (*Lilium longiflorum*), 724, 725f, 731
- Econazole, 871t
- Ecstasy
  - herbal see **Ephedra (Ma Huang)**
  - liquid see **GHB**
  - see also **MDMA**
- Effexor® (venlafaxine), 201
  - see also **SSRI and SNRI antidepressants**
- Efudex® see **5-fluorouracil (5-FU)**
- Elapids (coral snakes)**, 414–420
  - antivenoms, 418–419
  - clinical features, 417
  - course and prognosis, 419
  - detoxification, 418
  - diagnostics, 417
  - differential diagnosis, 417
  - drugs of choice, 419
  - etiology/pathophysiology, 416
  - signalment/history, 416
  - species, 414–415, 414f, 415f
  - therapeutics, 418–419
  - venom, 416, 417
- Elderberry (*Sambucus* spp.), 715
- Electrocardiogram (ECG), 36
  - continuous, monitoring, 15
- Emergency management of the poisoned patient**, 13–19, 33
  - ABCDS, 13–14
  - acid-base imbalance, 16–17
  - airway management, 13
  - antiarrhythmia therapy, 17–18
  - antidotes, 13
  - antihypertensives, 16
  - arterial blood gas, 16–17
  - blood pressure, 15–16
  - breathing management, 13–14
  - cardiovascular support, 17–18
  - circulation management, 14
  - diagnostic testing, 13
  - ECG, 15
  - fluid therapy, 17
  - monitoring, 13, 15–17
  - neurological dysfunction, 14
  - neurological support, 18
  - pulse oximetry, 16
  - reversal agents, 13
  - supportive care and treatment, 14–18, 15–17
  - vasopressor/positive inotrope therapy, 18
- Emesis (detoxification), 4–6
  - at-home, 4–5
  - contraindications, 4, 37, 64
  - exceptions to, 4
  - see also *individual toxins/toxicants*
- Emetic agents, 5–6
- Enalapril, 112
  - see also **Angiotensin-converting enzyme inhibitors (ACEIs)**
- Endocannabinoid system (ECS), 220, 246, 278
- English holly (*Ilex* spp.), 879t
- English ivy (*Hedera helix*), 879t
- Envenomations**, 391–446
  - black widow spider, 394
  - brown recluse spiders, 398–399
  - crotalids (pit vipers), 402, 403, 405, 406, 407
  - elapid (coral snakes), 416
  - frogs (*Phylllobata*), 422, 423
  - Hymenoptera, 438
  - lizards (*Heloderma* spp.), 421, 422, 423
  - salamanders (newts), 422, 423
  - scorpions, 429
  - toad, 434
  - wasps, hornets, bees, 440
  - see also *individual venomous species*
- Environmental samples, testing, 46
- Enzymatic cleaners see **Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**



Ephedra *see* Decongestants (pseudoephedrine/phenylephrine)

**Ephedra (Ma Huang), 541–545**

clinical features, 541, 542  
course and prognosis, 544  
diagnostics, 543  
differential diagnosis, 542–543  
etiology/pathophysiology, 541–542  
signalment/history, 542  
synonyms, 544  
therapeutics, 543–544

*Ephedra nevadensis*, 544

*Ephedra sinica*, 541, 544

Ephedrine

in Ephedra, 541

*see also* Ephedra (Ma Huang)

herbals containing, 541, 544

*see also* Decongestants (pseudoephedrine/phenylephrine)

Epidiolex®, 220

*see also* Cannabidiol (CBD)

Epinephrine, 18, 35

*Epipremnum* spp. (pothos, devil's ivy), 740, 744f, 883t

Epoxy (bisphenol A), 598

Eprinomectin, 367, 368

*see also* Macrocytic lactones

Epsom salts, 97

Ericaceae family, 681, 683

*Erythroxylum coca*, 234

*see also* Cocaine

*Erythroxylum monogynum*, 233

*see also* Cocaine

Escitalopram, 201

*see also* SSRI and SNRI antidepressants

Esculetin, 773

Esmolol, 17

pharmacokinetics, 146

toxicity, 148

*see also* Beta-blocker (beta receptor antagonists) ingestion

**Essential oils and liquid potpourri, 546–551**

clinical features, 548

course and prognosis, 550

detoxification, 549

diagnostics, 548–549

differential diagnosis, 548

drugs of choice, 549–550

etiology/pathophysiology, 546–547

signalment/history, 547–548

systems affected, 547

tea tree oil *see* Tea tree oil (melaleuca oil)

therapeutics, 549–550

Estazolam, 135t

*see also* Benzodiazepines

**Estrogen, 180–185**

clinical features, 182

detoxification, 183

diagnostics, 183

differential diagnosis, 182–183

drugs of choice, 184

etiology/pathophysiology, 180–181

signalment/history, 181–182

systems affected, 181

therapeutics, 183–185

Eszopiclone (Lunesta®), 189

*see also* Nonbenzodiazepine (NBZD)

sleep aids

Ethanol, 27–28, 61, 62

blood levels, 63

bread dough ingestion, 449, 450, 451

clinical features, 63, 64, 450

course and prognosis, 65

diagnostics, 63

ethylene glycol poisoning treatment, 66, 69, 70

sources, 61, 62, 65

therapeutics, 64, 452

toxicity, 62, 449

*see also* Alcohols

**Ethylene glycol and diethylene glycol, 4, 61, 66–72**

clinical features, 66, 68

course and prognosis, 71

detoxification and antidotes, 69

diagnostics and pathology, 68–69

differential diagnosis, 68, 593

etiology/pathophysiology, 66–67

malicious poisoning, 67

pharmacokinetics, 67

prevention/avoidance, 71

signalment/history, 67

sources, 66, 67

systems affected, 67

therapeutics, 66, 69–70

toxicity, 66, 67

Etorphine, 194t

*see also* Opiates and opioids

Eucalyptol, 547

Eucalyptus oil, 547

*see also* Essential oils and liquid potpourri

*Eucalyptus* spp., 715

Eugenol, 546

*Euphorbia pulcherrima* (poinsettia), 883t

Expectorants, 314

*see also* Dextromethorphan

Extracorporeal therapy (ECT), 10–11

- Fabric softener *see* Soaps, detergents, fabric softeners
- False morel (*Gyromitra* spp.), 732
- Farm chemicals *see* Garden, yard and farm chemicals
- Felbantel, 849t
- Felbamate, 118t, 119, 120  
*see also* Antiseizure medications
- Felodipine, 159t  
*see also* Calcium channel blockers (CCBs)
- Fenbendazole, 849t
- Fenosmolin *see* Phenols and pine oils
- Fentanyl, 194t, 196, 197, 266, 271  
synonyms, 271  
*see also* Opiates and opioids
- Fentanyl transdermal patches, 197  
for crotalid (pit vipers) bites, 411  
*see also* Opiates and opioids
- Fern palm *see* Sago palm (cycads)
- Fertilizers, 512, 523–526  
in bone and blood meal, 511  
clinical features, 524  
components, 523  
detoxification, 525  
diagnostics, 524–525  
differential diagnosis, 524  
drugs of choice, 525  
etiology/pathophysiology, 523–524  
iron-containing, 523, 651  
mold contamination, 511  
signalment/history, 524  
therapeutics, 525–526
- Fetzima®, 201  
*see also* SSRI and SNRI antidepressants
- Fipronil, 628–632  
clinical features, 629–630  
detoxification, 630  
etiology/pathophysiology, 628, 629  
signalment/history, 629  
therapeutics, 630–631  
toxicity (rabbits), 628, 629, 631
- Fires, carbon monoxide exposure, 827, 830
- Firestarter logs, 504
- Fireworks *see* Matches and fireworks
- Firocoxib, 385, 386  
*see also* NSAIDs (veterinary)
- Flag (*Iris* spp.), 880t
- Flamingo flower (*Anthurium* spp.), 740, 740f  
*see also* Oxalates (insoluble)
- Flea collars, 633
- Fleur-de-lis (*Iris* spp.), 880t
- Fluid diuresis, 9
- Fluid therapy, 17
- Flumazenil, as antidote, 28, 121, 132, 137, 191, 231
- Flunitrazepam, 226, 227, 229  
synonyms, 232  
*see also* Club drugs (MDMA, GHB, flunitrazepam, Bath Salts)
- Fluohydric acid *see* Hydrofluoric acid (HF)
- Fluoric acid solution *see* Hydrofluoric acid (HF)
- Fluoride, 347, 673–678, 677  
clinical features, 675  
course and prognosis, 678  
detoxification, 676  
diagnostics, 675–676  
differential diagnosis, 675  
drugs of choice and alternatives, 677  
etiology/pathophysiology, 673–674  
signalment/history, 675  
sources/products containing, 673  
therapeutics, 676–678  
toxicity, 674
- Fluoride ions, hydrofluoric acid, 93
- Fluoride toothpaste, 673, 674
- Fluoroacetic acid, 101
- Fluorocitrate, 101
- Fluoroplex® *see* 5-fluorouracil (5-FU)
- 5-Fluorouracil (5-FU), 101–106  
antidote, 104  
clinical features, 103  
compound 1080 as metabolite, 807  
course and prognosis, 105  
detoxification, 104  
diagnostics and pathology, 103–104  
differential diagnosis, 103  
etiology/pathophysiology, 101  
pharmacokinetics, 101–102  
prevention/avoidance, 105  
signalment/history, 102–103  
systems affected, 102  
therapeutics, 104–105  
toxicity, 102
- Fluoxetine (Prozac®), 201  
*see also* SSRI and SNRI antidepressants
- Fluralaner *see* Isoxazolines
- Flurazepam, 135t  
*see also* Benzodiazepines
- Fluvoxamine, 201  
*see also* SSRI and SNRI antidepressants
- Fly agaric (*Amanita muscaria*), 258, 260
- Focalin® *see* Amphetamines
- Folic acid (folate), 345  
*see also* Vitamins and minerals
- Fomepizole (4-methyl pyrazole), 28, 66  
anaphylactic reactions, 70  
as antidote for ethylene glycol poisoning, 69  
propylene glycol treatment, 76

- Food and Drug Administration (FDA), USA, 54, 55, 73, 222
- Food samples, 46, 55  
see also **Pet food**
- Foods**, 447–500  
see also **Bread dough, fermented**; **Chocolate and caffeine**; **Grapes and raisins**; **Hops**; **Macadamia nuts**; **Onions and garlic**; **Salt**; **Xylitol**
- Foreign objects**, 503–507, 505  
bone and blood meal, 511, 512, 514  
clinical features, 505  
diagnostics, 505  
etiology/pathophysiology, 503–504  
glues/adhesives, 81, 82, 83f, 84  
matches, 579  
nontoxic, common objects, 503–505  
peach pits, cyanogenic glycosides, 719  
sharp, 503  
signalment/history, 505  
therapeutics, 506  
types, 503–505  
see also **Foreign body obstruction (Clinical Signs index)**
- Formic acid/formate**, 61
- Formoterol**, 139, 140  
see also **Beta-2 receptor agonists**
- Foxglove** (*Digitalis purpurea*), 704, 705f, 706f  
see also **Cardiac glycosides**
- Francodex®** see **Amitraz**
- Frogs** (*Phylllobates* spp.), 421, 422, 424  
clinical features of bite/venom, 425  
therapeutics, 425–426  
toxins, 422, 423
- Fruit salad plant** (*Monstera deliciosa*), 740, 743f  
see also **Oxalates (insoluble)**
- 5-FU** see **5-Fluorouracil (5-FU)**
- Fungicides**  
carbamate, 633  
see also **Carbamates**
- Furosemide**, 9, 173–174, 174t  
see also **Diuretics**
- Gabapentin**, 186–188  
clinical features, 187  
diagnostics, 188  
differential diagnosis, 188  
etiology/pathophysiology, 186–187  
signalment/history, 187  
systems affected, 187  
therapeutics, 188  
toxicity, 187  
xylitol-containing formulation, 187, 188
- Gamma-aminobutyric acid (GABA)**, 61, 129, 134, 189  
5-FU effect, 101
- Gamma-glutamyl transferase (GGT) increase**, testing, toxicants, 44t
- Gamma-hydroxybutyric acid (GHB)** see **Club drugs (MDMA, GHB, flunitrazepam, Bath Salts)**; **GHB**
- Garbage intoxication**, 808
- Garden, yard and farm chemicals**, 509–537  
bone and blood meal see **Bone and blood meal**  
diquat see **Diquat and paraquat**  
fertilizers see **Fertilizers**  
herbicides see **Herbicides**  
metaldehyde see **Metaldehyde**  
methionine see **Methionine**  
paraquat see **Diquat and paraquat**  
slug/snail bait see **Molluscicides**
- Garlic** see **Onions and garlic**
- Gases, toxic**, 825–838  
carbon monoxide see **Carbon monoxide (CO)**  
smoke see **Smoke inhalation**
- Gasoline**, 86
- Gastric lavage**, 7–9, 8f, 37–38  
indications/contraindications, 7–8
- Gastrointestinal decontamination**, 37–38
- Gelatin**, 590
- Gelsemium sempervirens** (yellow jessamine, woodbine), 884t
- Geodon®**, 124  
see also **Atypical antipsychotics**
- GHB** (gamma-hydroxybutyric acid), 226, 227, 229  
drugs of choice for, 231  
synonyms, 232  
see also **Club drugs (MDMA, GHB, flunitrazepam, Bath Salts)**
- Giant milkweed** (*Calatropis* spp.), 704
- Gila monster**, 421, 421f, 422
- Gilatoxin**, 423  
toxicity, 423
- Gloriosa superba** (glory lily), 165  
see also **Colchicine**
- Glow jewelry and toys** (dibutyl phthalate), 669–672  
clinical features, 671  
course and prognosis, 672  
description, 669, 669f, 670f  
diagnostics, 671  
differential diagnosis, 671  
etiology/pathophysiology, 670–671  
signalment/history, 671  
therapeutics, 671–672
- Glucuronyl transferase**, limited in cats, 268, 293, 294, 547, 598, 599, 600

**Glues and adhesives, 81–85**

- clinical features, 82
- course and prognosis, 85
- cyanoacrylate glue, 81, 82, 85
- detoxification, 83–84
- diagnostics and pathology, 83
- differential diagnosis, 82–83
- diisocyanate glue, 81, 82, 83, 85
- etiology/pathophysiology, 81–82
- glue traps, 81
- Gorilla Glue, 81, 85
- polyvinyl acetate (PVA) glue, 81
- prevention/avoidance, 84
- signalment/history, 82
- Super Glue, 81, 85
- systems affected, 82
- therapeutics, 83–84

Glycerin, 590

*see also* **Paintballs**

Glycerol, 590

*see also* **Paintballs**

Glycol ethers *see* **Ethylene glycol and diethylene glycol**

Glycopyrrolate, 17, 35

Glycosides

cardiac *see* **Cardiac glycosides**

cyanogenic *see* **Cyanogenic glycosides**

nontoxic, 715

Glyphosate, 527, 528, 528t, 529, 531

*see also* **Herbicides**

Gold, 861t

Golden pothos (*Epipremnum* spp.), 740, 744f, 883t

*see also* **Oxalates (insoluble)**

Goldenrod, 174t

**Grapes and raisins, 460–463**

clinical features, 461

course and prognosis, 463

diagnostics, 461–462

differential diagnosis, 461

etiology/pathophysiology, 460–461

signalment/history, 461

therapeutics, 462–463

Grayanotoxins, 683

*see also* **Azaleas and rhododendrons**

Guanfacine *see* **Alpha-2-adrenergic agonists (veterinary)**

Gum trees (*Eucalyptus* spp.), 715

Hair straighteners, 565

*see also* **Alkalis**

Hallucinogenic mushrooms, 733

**Hallucinogens and dissociative agents, 258–264, 261–262**

clinical features, 262

course and prognosis, 264

definition/agents included, 258–259

diagnostics, 262

differential diagnosis, 262

etiology/pathophysiology, 259–261

MDMA and Bath Salts, 228

signalment/history, 261

synonyms, 264

systems affected, 261

therapeutics, 262–263

Hand warmers, 649, 651

*see also* **Iron**

Harmful algal blooms *see* **Blue-green algae (cyanobacteria)**

Hashish, 243

*see also* **Marijuana (THC)**

Hawaiian baby woodrose plant (*Argyrea nervosa*), 258

Heart rates, monitoring, 15

Heartworm preventives *see* **Macrocyclic lactones**

Heavy metals

antidotes, 22

toxicity, battery exposure, 571, 572, 573, 575

*see also* **Metal(s) and metalloids**

*Hedera helix* (English ivy, Atlantic ivy, Irish ivy, common ivy), 879t

*Helleborus niger* (Christmas rose), 878t

*Heloderma* spp. (lizards), 421, 421f, 422, 423

clinical features of bites, 424

differential diagnosis, 425

venom interactions, 426

*Hemerocallis* spp., 723, 724, 728f, 729f

Hemodialysis (HD), 10–11

Hemoperfusion (HD), 10–11

Hemp (*Cannabis sativa*), 219, 243, 244f

*see also* **Marijuana (THC)**

Hepatotoxic mushroom poisoning *see* **Mushrooms**

Herbal ecstasy *see* **Ephedra (Ma Huang)**

**Herbals, 539–556**

Ephedra/Ma Huang *see* **Ephedra (Ma Huang)**

essential oils *see* **Essential oils and liquid potpourri**

sympathomimetic, 541

tea tree oil *see* **Tea tree oil (melaleuca oil)**

**Herbicides, 527–532**

in bone and blood meal, 511

clinical features, 529–530

compounds/components, 527

detoxification, 530

diagnostics, 530

differential diagnosis, 530

diquat and paraquat *see* **Diquat and paraquat**

drugs of choice, 531

etiology/pathophysiology, 527–528

**Herbicides** (*cont'd*)

most used in USA, 528t

signalment/history, 529

therapeutics, 530–531

Heroin, 194t, 265, 270, 271

black tar, 265, 265

synonyms, 271

toxicity, 267

see also **Opiates and opioids (illicit)**

Hexachlorophene, 598

see also **Phenols and pine oils**

Hexafluorine optical rinse, 97

Hexafluorosilicic acid see **Hydrofluoric acid (HF)**

*Hippeastrum* spp., 764, 765f, 767

see also **Spring bulbs**

History taking, 32–33, 41–42

checklist for information collection, 42t

pet food-related concerns, 54

Holly (*Ilex* spp.), 879t

**Home care and recreational products**, 557–610

Homooanatoxin-a, 687, 688

clinical features due to, 688

see also **Blue-green algae (cyanobacteria)**

Hope plant (*Philodendron* spp.), 883t

see also **Oxalates (insoluble)**

Hopeanine, 772

**Hops**, 464–467

antidote, 466

course and prognosis, 467

detoxification, 466

diagnostics, 465

differential diagnosis, 465

etiology/pathophysiology, 464

signalment/history, 465

therapeutics, 466–467

**Hornets**, 438–445, 442

venom, 438, 440

see also **Wasps, hornets and bees**,

**envenomation**

Horse chestnut (*Aesculus* spp.), 879t

Household cleaners, 559

see also **Acids; Soaps, detergents, fabric**

**softeners, enzymatic cleaners and**

**deodorizers**

Human NSAIDs see **NSAIDs (human)**

Human prescription, drugs, 99–216

see also *specific drugs/drug groups*

*Humulus lupulus* see **Hops**

Hunter's robe (*Epipremnum* spp.), 740

see also **Oxalates (insoluble)**

Hurricane plant (*Monstera deliciosa*), 740, 743f, 881t

see also **Oxalates (insoluble)**

*Hyacinthus* (hyacinth), 764, 765f, 767, 883t

see also **Spring bulbs**

Hyaluronidase, in aphid venom, 440

see also **Wasps, hornets and bees**,

**envenomation**

*Hydrangea* spp. (hydrangeas), 715, 718f

Hydrocarbons

chlorinated, 808

differential diagnosis, 808

**Hydrocarbons**, 86–92, 86f

clinical features, 87, 88–89

course and prognosis, 91

detoxification, 89–90

diagnostics and pathology, 89

differential diagnosis, 89

etiology/pathophysiology, 87–88

inhalation/respiratory exposure, 87, 88,

89, 90

lipophilic, 87

ocular exposure, 87, 88, 89, 90

oral exposure, 87, 88, 90

prevention/avoidance, 91

signalment/history, 88

systems affected, 88

therapeutics, 89–91

toxicokinetics and toxicity, 87–88

Hydrochloric acid see **Acids**

Hydrochlorothiazide, 174t, 175

see also **Diuretics**

Hydrocodone, 194t

see also **Opiates and opioids**

Hydrocortisone, 872t

**Hydrofluoric acid (HF)**, 93–98, 673

clinical features, 94–95

course and prognosis, 98

detoxification, 95–96

diagnostics and pathology, 95

differential diagnosis, 95

etiology/pathophysiology, 93–94

signalment/history, 94

sources, 93, 94

systems affected, 94

therapeutics, 95–97

toxicokinetics and toxicity, 93–94

see also **Fluoride**

Hydrofluoride solution see **Hydrofluoric acid (HF)**

Hydrogen cyanide, 715, 717, 719, 833

smoke inhalation and, 833

see also **Cyanogenic glycosides**

Hydrogen fluoride see **Hydrofluoric acid (HF)**

Hydrogen peroxide, 5, 669

emesis with, 4

Hydromorphone, 194t, 266

see also **Opiates and opioids**

Hydroquinone see **Phenols and pine oils**

- Hydroxocobalamin (vitamin B<sub>12a</sub>), as antidote, 721, 836
- Hydroxybenzene *see* **Phenols and pine oils**
- 5-Hydroxytryptophan (5-HTP), 347
- Hymenoptera**, 438–445  
*see also* **Wasps, hornets and bees, envenomation**
- Hyoscyamine, plants containing, 258
- Hysspo oil, 547  
*see also* **Essential oils and liquid potpourri**
- Ibotenic acid, 260, 732  
*see also* **Amanita mushrooms**
- Ibuprofen, 319, 322  
 toxicity, 320  
*see also* **NSAIDs (human)**
- Identification/management of unknown toxicant**, 32–40  
 cardiovascular signs, 39, 43, 43t  
 case management, 38  
 checklist for information collection, 42t  
 clinical signs, 43, 43t  
 consultation, animal poison control centre, 37  
 diagnostics, 33–34  
 gastrointestinal signs, 38, 43t  
 history taking, 32–33, 41–42  
 neurological signs, 38, 43, 43t  
 pertinent information, 32–33  
 physical examination, 33  
 respiratory signs, 39, 43t  
 toxicological testing, 39–40  
 toxidromes *see* **Toxidromes**  
 treatment plan, 37–40  
 urinary/renal signs, 43t
- Ilex* spp. (English holly), 879t
- Imepitoin, 118t  
*see also* **Antiseizure medications**
- Imidacloprid and other neonicotinoids**, 619–622  
 clinical features, 621  
 course and prognosis, 622  
 diagnostics, 621–622  
 differential diagnosis, 621  
 etiology/pathophysiology, 619–620  
 imidacloprid toxicity, 620  
 signalment/history, 621  
 therapeutics, 622
- Imidapril, 112  
*see also* **Angiotensin-converting enzyme inhibitors (ACEIs)**
- Imidazolines *see* **Decongestants (imidazolines)**
- Immunosuppressants  
 cyclosporine A *see* **Cyclosporine A**  
 tacrolimus *see* **Tacrolimus**
- Imodium® *see* **Loperamide**
- Incilius alvarius* (*Bufo alvarius*), 433  
*see also* **Toads, envenomation**
- Indian common mallow, 544
- Indolealkylamines, 434
- Industrial cleaners *see* **Acids**
- Information resources**, 853–858
- Insecticides**, 503, 611–645  
 amitraz *see* **Amitraz**  
 carbamate *see* **Organophosphorus and carbamate anticholinesterase pesticides**  
 fipronil *see* **Fipronil**  
 isoxazoline *see* **Isoxazolines**  
 miscellaneous, 628–632  
 clinical features, 629–630  
 diagnostics, 630  
 differential diagnosis, 630  
 etiology/pathophysiology, 628–629  
 prevention, course and prognosis, 631  
 signalment/history, 629  
 therapeutics, 630–631  
*see also* **Fipronil; Spinosad**  
 neonicotinoids *see* **Neonicotinoids**  
 organochlorine, PDB, 583  
 organophosphorus *see* **Organophosphorus and carbamate anticholinesterase pesticides**  
 pyrethrins and pyrethroids *see* **Pyrethrins and pyrethroids**  
 spinosad *see* **Spinosad**
- Insurance claims, 45
- Internal toxins**, 391–446  
*see also* **Envenomations**
- Internet-based toxicology resources, 855–858
- Intravenous lipid emulsion (ILE), 9–10, 25–26, 127, 132, 150, 155, 162, 249, 256, 328, 381, 389, 550, 644, 798  
 complications due to, 132
- Invega®, 124  
*see also* **Atypical antipsychotics**
- Iodine, 345  
 toxicity, 346  
*see also* **Vitamins and minerals**
- Ipecac, 5
- Ipomoea* spp. (morning glory), 882t
- Iris (*Iris* spp.), 880t
- Iris* spp. (iris, flag, fleur-de-lis, sword lily), 880t
- Irish potato (*Solanum tuberosum*), 880t
- Iron**, 649–655  
 alloys containing, 649  
 antidote, 653  
 clinical features and stages, 651–652  
 course and prognosis, 654  
 detoxification, 653  
 diagnostics, 652  
 differential diagnosis, 652



**Iron** (*cont'd*)

- etiology/pathophysiology, 649–651
- in fireworks, 578t
- oxidative damage, 649, 651
- percentage in common soluble iron salts, 650t
- signalment/history, 651
- sources, 649
- therapeutics, 653–654
- see also* **Vitamins and minerals**

**Iron oxide**, 649**Iron toxicosis**, 343, 345, 350

- fertilizers, 523
- prognosis, 350
- testing, 44t, 348
- toxicity, levels, 346
- see also* **Vitamins and minerals**

**Isoopropanol**, 61, 62

- diagnostics, 63
- toxicity, 62, 63
- treatment, 64

*see also* **Alcohols**

**Isoopropyl alcohol**, 61**Isoxazolines**, 361–366

- clinical features, 363
- course and prognosis, 365
- detoxification, 364
- differential diagnosis, 363–364
- drugs of choice, 364–365
- etiology/pathophysiology, 361–363
- pharmacokinetics, 362–363
- signalment/history, 363
- synonyms, 366
- systems affected, 363
- therapeutics, 364–365

**Isradipine**, 159t

*see also* **Calcium channel blockers (CCBs)**

**Ivermectin**, 367, 368, 373f

- toxicity, 369

*see also* **Macrocyclic lactones**

**Ivy** (*Hedera helix*), 879t**Ixel®**, 201**Japanese cycad** *see* **Sago palm** (cycads)**Japanese pieris**, 681

*see also* **Azaleas and rhododendrons**

**Japanese show lily** (*Lilium speciosum*), 724, 726f**Japanese yew**, 808

*see also* **Yew** (*Taxus*)

**Jerusalem cherry** (*Solanum pseudocapsicum*), 880t**Jimson weed** (*Datura stramonium*), 258**Johnson grass** (*Sorghum*), 715**Jonquil** (*Narcissus* spp.), 882t**Journals, veterinary toxicology**, 854–855**Juniper**, 174t**Kalanchoe** (*Kalanchoe* spp.), 704, 706f

- air plant/cathedral bells, 876t

*see also* **Cardiac glycosides**

**Kalmia** spp. (mountain laurel), 681, 882t

*see also* **Azaleas and rhododendrons**

**Kerosene**, 86**Ketamine**, 258, 260–261, 273

- clinical features, 261, 262
- detoxification, 262–263
- synonyms, 264
- therapeutics, 263

**Ketoconazole**, 871t**Ketoprofen**, 385

*see also* **NSAIDs (veterinary)**

**Kinins**, 440

*see also* **Wasps, hornets and bees, envenomation**

**Kovanaze®**, 303**Labetalol**, 147t

*see also* **Beta-blocker (beta receptor antagonists) ingestion**

**Laboratory diagnostics**, 41–47

- chemical analysis, 46, 55
- consultation on, 52
- environmental/food sampling, 46, 55
- historical information, 41–42
- pet food-related illness, 46, 54, 55
- see also* **Diagnostic testing**

**Labrador tea**, 683

*see also* **Azaleas and rhododendrons**

**Lacosamide**, 118t, 119

*see also* **Antiseizure medications**

**Lactate dehydrogenase (LDH)**, testing, toxicants, 44t**Lamotrigine**, 118t, 119, 120

*see also* **Antiseizure medications**

**Lantana** (*Lantana camara*, *L. montevidensis*), 880t**Lantana camara** (lantana), 880t**Lantana montevidensis** (lantana, shrub verbena), 880t**Larkspur** (*Delphinium* spp.), 879t**Latrodectus** spp. *see* **Black widow spiders****Laundry detergent pod (LDP)**, 606

*see also* **Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**

**Lawn products**, 512, 527, 532, 533

*see also* **Herbicides; Methionine**

**Lead**, 656–661

- antidotes, 659
- clinical features, 657–658
- course and prognosis, 660
- detoxification, 659
- diagnostics, 658–659

- differential diagnosis, 658
  - etiology/pathophysiology, 656–657
  - signalment/history, 657
  - sources, 656
  - therapeutics, 659–660
- Leucovorin, as antidote, 28
- Levobunolol, 147t
  - see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Levomilnacipran (Fetzima®), 201
  - see also* **SSRI and SNRI antidepressants**
- Levothyroxine (T4), 211, 212
  - see also* **Thyroid hormones (T3 and T4)**
- Lidocaine, 18, 873t
- Lilies, 723–731**
  - clinical features, 729
  - course and prognosis, 731
  - detoxification, 730
  - diagnostics, 730
  - differential diagnosis, 729–730
  - etiology/pathophysiology, 724, 728–729
  - signalment/history, 729
  - therapeutics, 730–731
- Lilium* spp., 723, 723f, 724, 724f, 725f, 726f
- Lily of the valley (*Convallaria majalis*)
  - see also* **Cardiac glycosides**
- Lily of the valley (*Convallaria majalis*), 707f, 880t
- D-Limonene, 546
- Linalool, 546
- Liothyronine (T3), 211, 212
  - see also* **Thyroid hormones (T3 and T4)**
- Liquid potpourri *see* **Essential oils and liquid potpourri**
- Liquids, volume conversions, 867–868
- Lisinopril, 112–113
  - see also* **Angiotensin-converting enzyme inhibitors (ACEIs)**
- Lithium, 184, 861t
  - in fireworks, 578t
- Lithium ion batteries, 571
- Lizards, 421–422, 421f, 422–423, 422f, 424
  - clinical features of bite/venom, 424
  - interactions/course and prognosis, 426
  - therapeutics, 425
  - toxins/venom, 421, 422–423
  - venom toxicity, 423
- Local anesthetics, 873t
  - amides, 873t
  - topical, 873t
- Loperamide, 194t, 196, 325–329**
  - antidote and drugs of choice, 327–328
  - clinical features, 326–327
  - course and prognosis, 329
  - detoxification, 327
  - diagnostics, 327
  - differential diagnosis, 327
  - etiology/pathophysiology, 325–326
  - signalment/history, 326
  - therapeutics, 327–328
  - see also* **Opiates and opioids**
- Lorazepam, 135t
  - see also* **Benzodiazepines**
- Lotilaner *see* **Isoxazolines**
- LOX enzymes, inhibitors, 385, 386
- Loxosceles reclusa* *see* **Brown recluse spiders**
- LSD *see* **Lysergic acid diethylamide (LSD)**
- Lunesta® (eszopiclone), 189
  - see also* **Nonbenzodiazepine (NBZD) sleep aids**
- Lupin (*Lupinus* spp.), 881t
- Lupinus* spp. (lupin, bluebonnet), 881t
- Luvox®, 201
  - see also* **SSRI and SNRI antidepressants**
- Lycorine, 767
- Lycovac®, antivenin, 395
- Lyngbya, 698, 698f, 699
- Lysergic acid amide substances (LSAs), 258, 259, 260, 261
  - clinical features, 261, 262
  - detoxification, 262
  - synonyms, 264
  - therapeutics, 263
- Lysergic acid diethylamide (LSD), 239–242, 258**
  - clinical features, 240
  - course and prognosis, 242
  - diagnostics, 241
  - differential diagnosis, 241
  - etiology/pathophysiology, 239–240
  - plant sources, 239
  - police dogs, 240
  - signalment/history, 240
  - synonyms, 242
  - therapeutics, 241–242
  - toxicity, 240
- Ma Huang *see* **Ephedra (Ma Huang)**
- Macadamia nuts, 468–471**
  - clinical features, 468, 469
  - course and prognosis, 468, 469, 471
  - diagnostics, 470
  - differential diagnosis, 469
  - etiology/pathophysiology, 468–469
  - signalment/history, 469
  - therapeutics, 470
- Macadamia* spp. *see* **Macadamia nuts**
- Macrocyclic lactones, 367–374**
  - clinical features, 370
  - course and prognosis, 373–374
  - detoxification, 371

**Macrocyclic lactones** (*cont'd*)

- diagnostics, 370–371
- differential diagnosis, 370
- drugs of choice, 372
- drugs/products included, 367, 367f, 373f
- etiology/pathophysiology, 368–369
- signalment/history, 369–370
- systems affected, 369
- therapeutics, 371–373

Macrozamin, 758

*see also* **Sago palm** (cycads)

Mad honey, 683

Madonna lily (*Lilium candidum*), 724, 726f

Magic mushrooms, 259

Magnesium, 345

- in fireworks, 578t

- toxicity, 346

- see also* **Vitamins and minerals**

Magnesium sulfate, 7

Magnets, 504

*Malus* spp. (apple, crabapple), 715, 878t

Management, unknown toxicant *see*

**Identification/management of unknown toxicant**

*Manihot esculenta* (cassava), 715

Mannitol, 18, 174t

**Marijuana** (THC), 243–251, 279

- clinical features, 247f, 248

- coingestions, 250

- course and prognosis, 250

- detoxification, 248–249

- diagnostics, 248

- differential diagnosis, 248

- drugs of choice, 249

- etiology/pathophysiology, 246–247

- forms and definitions, 243

- police dogs, 247

- precautions/interactions, 249–250

- products, 243, 245f

- signalment/history, 247–248

- synonyms, 250

- systems affected, 247, 247f

- therapeutics, 248–250

Marijuana butter, 250

Marine (cane) toad (*Rhinella* (*Bufo*) *marina*), 433, 433f, 434, 437

*see also* **Toads, envenomation**

Mast cell degranulating peptide, 440

*see also* **Wasps, hornets and bees, envenomation**

**Matches and fireworks**, 577–582

- clinical features, 579

- course and prognosis, 581

- detoxification, 580

- diagnostics, 580

- differential diagnosis, 579–580

- etiology/pathophysiology, 577–579, 578t

- signalment/history, 579

- therapeutics, 580–581

- toxicological information (fireworks), 578t

- see also* **Barium; Chlorates**

MCPA, 527, 528, 528t, 529

*see also* **Herbicides**

MCPP, 527, 528, 528t, 529

*see also* **Herbicides**

MDMA, 226, 226f, 227, 228–229, 232

- drugs of choice for, 231

- synonyms, 232

- see also* **Club drugs** (MDMA, GHB, flunitrazepam, Bath Salts)

MDPV (Bath Salts) *see* **Club drugs** (MDMA, GHB, flunitrazepam, Bath Salts)

MDR1 genotyping, 371, 373

MDR1 mutation, 247, 280, 368, 371

Mean arterial pressure (MAP), 15, 16

Mebendazole, 849t

Medetomidine *see* **Alpha-2-adrenergic agonists (veterinary)**

Medical records, 48–50, 49f

**Medico-legal considerations**, 48–52

- client communication, 50

- client confidentiality, 50–51

- medical records, 48–50, 49f

- pet food adulteration, 53–54

- special cases, 51–52

- state license board discipline, 48

- state practice acts, 48

- veterinary professional misconduct, 51

*Melaleuca alternifolia*, 552

Melaleuca oil *see* **Tea tree oil** (melaleuca oil)

Melamine, 53

*Melia azedarach* (chinaberry tree), 878t

Mellitin, 440

*see also* **Wasps, hornets and bees, envenomation**

Meloxicam, 385, 386, 387

*see also* **NSAIDs (veterinary)**

Menthol salicylates, 870t

Meperidine, 194t, 196, 266, 268

- toxicity, 267

- see also* **Opiates and opioids**

Mephedrone (Bath Salts) *see* **Club drugs** (MDMA, GHB, flunitrazepam, Bath Salts)

Mercury, 861t

Meridia®, 201

*see also* **SSRI and SNRI antidepressants**

Mescaline, 259

- Metal(s) and metalloids**, 647–666  
Appendix 4, 859–864  
*see also individual metals*
- Metal cleaners** *see* **Acids**
- Metaldehyde**, 623–627  
clinical features, 624–625  
complications, 627  
course and prognosis, 627  
detoxification, 625–626  
diagnostics, 625  
differential diagnosis, 103, 625  
etiology/pathophysiology, 623–624  
signalment/history, 624  
therapeutics, 625–627
- Metallic toxicants**, 859–864
- Methadone**, 194t, 196  
*see also* **Opiates and opioids**
- Methamphetamine**, 107, 252–257  
clinical features, 253, 254  
course and prognosis, 257  
crystal, 252, 252f  
detoxification, 255  
diagnostics, 254–255  
differential diagnosis, 254  
drugs of choice, 255–256  
etiology/pathophysiology, 253  
signalment/history, 253–254  
synonyms, 257  
systems affected, 253  
therapeutics, 255
- Methanol**, 61, 62  
antidotes, 64  
diagnostics, 63  
metabolism, 61  
toxicity, 62  
treatment, 64  
*see also* **Alcohols**
- Methemoglobin**, testing, 44t
- Methionine**, 533–537  
clinical features, 534–535  
course and prognosis, 536  
detoxification, 535  
diagnostics, 535  
differential diagnosis, 535  
drugs of choice, 535–536  
etiology/pathophysiology, 533–534  
signalment/history, 534  
therapeutics, 535–536
- Methocarbamol**, as functional antidote, 26, 109, 204, 214, 231, 237, 249, 255, 263, 281, 341, 365, 378, 396, 466, 480, 549, 555, 626, 643, 685, 761, 798
- Methoprene**, 640  
*see also* **Pyrethrins and pyrethroids**
- Methylazo-oxymethanol (MAM)**, 758  
*see also* **Sago palm (cycads)**
- Methylene blue**, as antidote, 28, 291, 581, 587, 602, 722
- Methylone (Bath Salts)** *see* **Club drugs (MDMA, GHB, flunitrazepam, Bath Salts)**
- Methylsalicylate**, 546
- Methylxanthines**, 454, 455, 809  
pharmacokinetics, 454  
sources, and content, 454, 455t  
toxicity, 455  
*see also* **Chocolate and caffeine**
- Metipranolol**, 147t  
*see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Metoprolol**  
pharmacokinetics, 146  
toxicity, 148  
*see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Mexican beaded lizard**, 421, 422f
- Mexican breadfruit (*Monstera deliciosa*)**, 740, 743f, 881t  
*see also* **Oxalates (insoluble)**
- Miconazole**, 871t
- Microcystins**, 692–697, 694  
*see also* **Blue-green algae (cyanobacteria)**
- Microcystis**, 687, 692, 692f  
*see also* **Blue-green algae (cyanobacteria)**
- Midazolam**, 134, 135t  
*see also* **Benzodiazepines**
- Milbemycin**, 367  
toxicity, 369  
*see also* **Macrocyclic lactones**
- Milkweed (*Asclepias* spp.)**, 704, 707f, 708f
- Milnacipran**, 201  
*see also* **SSRI and SNRI antidepressants**
- Milorganite®**, 523, 524  
*see also* **Fertilizers**
- Mineral oil**, 87  
*see also* **Hydrocarbons**
- Mineral seal oil**, 86  
*see also* **Hydrocarbons**
- Minerals** *see* **Vitamins and minerals**
- Minoxidil**, 330–336  
cats, sensitivity, 330, 331, 335  
clinical features, 332  
course and prognosis, 335  
detoxification, 333  
diagnostics and pathology, 333  
differential diagnosis, 332–333  
drugs of choice, 334  
etiology/pathophysiology, 330–331

**Minoxidil** (*cont'd*)

- signalment/history, 331–332
- systems affected, 331
- therapeutics, 333–335
- toxicity, 331

Minoxidil N-O-sulfate, 331

Mistletoe (*Phoradendron* spp.), 881t

Mitaban® *see* **Amitraz**

Mitac® *see* **Amitraz**

Mitacur® *see* **Amitraz**

Miticide, amitraz *see* **Amitraz**

Moldy food, 472, 477, 478

Molluscicides

- iron-containing, 649, 651
- see also* **Iron**

- metaldehyde *see* **Metaldehyde**

Monkshood (*Aconitum* spp.), 881t

Monophenol *see* **Phenols and pine oils**

*Monstera deliciosa* (Mexican breadfruit, Swiss cheese plant, hurricane plant), 740, 743f, 881t

- see also* **Oxalates** (insoluble)

Mormon Tea, 544

Morning glory (*Ipomoea* spp.), 258, 882t

Morphine, 195t, 266

- toxicity, 267

- see also* **Opiates and opioids**

Moth repellants, 583

**Mothballs**, 583–589

- camphor, 583
- clinical features, 585
- detoxification, 586–587
- diagnostics, 586
- differential diagnosis, 585–586
- drugs of choice, 587
- etiology/pathophysiology, 583–584
- ingredients (toxic), 583
- signalment/history, 585
- therapeutics, 586–588

Motor oil, 87

- see also* **Hydrocarbons**

Mountain laurel (*Kalmia* spp.), 681, 882t

- see also* **Azaleas and rhododendrons**

Move, reluctance to, herbicides, 529

Moxidectin, 367, 368

- toxicity, 369

- see also* **Macrocyclic lactones**

Mucimol, 260

- see also* **Amanita mushrooms**

Mulch, 504

Muriatic acid *see* **Acids**

Muscarine, 260

- mushrooms containing, 260, 732
- see also* **Mushrooms**

Muscimol, 732

- see also* **Mushrooms**

Muscle relaxants, 26–27

**Mushrooms**, 732–739

- amanitins, 734
- amatoxins, 732
- clinical course, 735
- clinical features, 732, 733, 735
- course and prognosis, 734, 735, 738
- detoxification, 737
- diagnostics, 736
- differential diagnosis, 735–736
- drugs of choice, 737
- etiology/pathophysiology, 734
- false recovery phase, 732, 735
- gastrointestinal irritation by, 733
- general and toxins, 732
- hallucinogenic, 733
- hepatotoxic, 732, 734, 735
- ibotenic acid, 732
- muscarine-containing, 732
- muscimol, 732
- signalment/history, 735
- therapeutics, 736–738
- toxicity, 734
- types and toxins, 732, 733, 734, 735

**Mycotoxins (aflatoxin)**, 472–476

- clinical features, 473
- course and prognosis, 476
- diagnostics, 473–474
- differential diagnosis, 473
- drugs of choice, 474–475
- etiology/pathophysiology, 472–473
- signalment/history, 473
- therapeutics, 474–475

**Mycotoxins (tremorgenic)**, 477–482

- clinical features, 478–479
- course and prognosis, 481
- detoxification, 480
- diagnostics, 479
- differential diagnosis, 364, 479
- drugs of choice, 480
- etiology/pathophysiology, 477–478
- signalment/history, 478
- systems affected, 478
- therapeutics, 479–481

Na-H exchange antagonists, 174t

Nabilone, 243

- see also* **Marijuana (THC)**

NAC (N-acetylcysteine), 29, 290, 291

Nadolol, 147t

- see also* **Beta-blocker (beta receptor antagonists) ingestion**

- Nalbuphine, 195t  
     *see also* **Opiates and opioids**
- Naloxone  
     opiate/opioid toxicity, 198, 199f  
     as physiological antidote, 5, 29, 115, 121, 195t, 198, 270, 317, 327  
     *see also* **Opiates and opioids**
- Naltrexone, 195t  
     *see also* **Opiates and opioids**
- Naphazoline, 303, 307  
     *see also* **Decongestants (imidazolines)**
- Naphthalene mothballs, 583, 584, 586  
     toxicity, 584  
     *see also* **Mothballs**
- NAPQI (N-acetyl-p-benzoquinone imine), 288
- Naproxen, 319  
     toxicity, 320  
     *see also* **NSAIDs (human)**
- Narcissus* spp. (narcissus, daffodil, jonquil, paperwhite), 764, 765f, 766f, 767, 882t  
     *see also* **Spring bulbs**
- Narcozep® (flunitrazepam) *see* **Club drugs**  
     (MDMA, GHB, flunitrazepam, Bath Salts)
- Nasal decongestants, OTC, 36  
     *see also* **Decongestants (pseudoephedrine/phenylephrine)**
- NBZDs *see* **Nonbenzodiazepine (NBZD) sleep aids**
- Nebivolol, 147t  
     *see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Necropsy, 45  
     specimens, 45t
- Neocypsin, 758  
     *see also* **Sago palm (cycads)**
- Neomycin, 870t
- Neonicotinoids, 619, 619–622  
     compounds included, 619  
     mechanism of action, 619
- Neoral®, 169  
     *see also* **Cyclosporine A**
- Nettle (*Urtica* spp.), 882t
- Neurological support, 18
- Neurotoxic algae poisoning *see* **Blue-green algae (cyanobacteria)**
- Newts *see* **Salamanders (newts)**
- NexGard® *see* **Isoxazolines**
- Niacin *see* **Vitamin B<sub>3</sub> (niacin)**
- Nicardipine, 159t  
     *see also* **Calcium channel blockers (CCBs)**
- Nicotiana tabacum* (tobacco), 884t
- Nicotine and tobacco, 337–342  
     clinical features, 339  
     course and prognosis, 341  
     detoxification, 340  
     diagnostics, 339–340  
     differential diagnosis, 339  
     drugs of choice, 340–341  
     etiology/pathophysiology, 337–338  
     signalment/history, 338–339  
     sources/products, 337, 338t  
     systems affected, 338  
     therapeutics, 340–341  
     toxicity and minimal lethal dose, 338
- Nicotine gum, 338t
- Nifedipine, 159t  
     *see also* **Calcium channel blockers (CCBs)**
- Nightshade family of plants, 771, 771f  
     *see also* **Yesterday, today, and tomorrow plant**
- Nimodipine, 159t  
     *see also* **Calcium channel blockers (CCBs)**
- Nisoldipine, 159t  
     *see also* **Calcium channel blockers (CCBs)**
- Nitenpyram, 619  
     toxicity, 620  
     *see also* **Imidacloprid and other neonicotinoids**
- Nitric acid *see* **Acids**
- NMDA receptor antagonist, 118t, 314
- Nodularia*, 698
- Nodularins, 698  
     *see also* **Blue-green algae (cyanobacteria)**
- Nonbenzodiazepine (NBZD) sleep aids, 189–192  
     antidote, 191  
     clinical features, 190  
     course and prognosis, 192  
     diagnostics, 191  
     differential diagnosis, 190–191  
     drugs of choice, 191  
     etiology/pathophysiology, 189–190  
     signalment/history, 190  
     therapeutics, 191
- Nondrug consumer products  
     *see also* **Fluoride; Glow jewelry and toys**
- Nondrug consumer products, 667–678
- Norepinephrine, 18, 35  
     reuptake inhibitors *see* **SSRI and SNRI antidepressants**
- North American coral snake antivenin, 418
- Notophthalmus* spp. (salamanders), 421, 422
- NSAIDs (human), 319–324  
     aspirin, 293, 298  
     clinical features, 321  
     course and prognosis, 323  
     detoxification, 322  
     diagnostics, 322  
     differential diagnosis, 321  
     drugs of choice, 323  
     etiology/pathophysiology, 319–320



**NSAIDs (human) (cont'd)**

- signalment/history, 321
- systems affected, 320
- therapeutics, 322–323
- toxicity, 320

**NSAIDs (veterinary), 385–390**

- clinical features, 387
- course and prognosis, 390
- diagnostics, 388
- differential diagnosis, 388
- drugs included, 385
- drugs of choice, 389
- etiology/pathophysiology, 386–387
- signalment/history, 387
- therapeutics, 388–390
- toxicity, 386–387
- use of, 323

**Nutmeg (*Myristica fragrans*), 258–259****Nuts**

- almonds (*Prunus* spp.), 715
- macadamia *see* **Macadamia nuts**

**OAT-4, lacking in dogs, 460****Octopus plant (*Aloe* spp.), 876t****Ocular examination, 33****Oil-based toxicant, 4****Oils, essential *see* **Essential oils and liquid potpourri******Olanzapine, 124**

- see also* **Atypical antipsychotics**

**Oleander (*Nerium oleander*), 704, 708f, 709f, 712, 713**

- see also* **Cardiac glycosides**

**Onions and garlic, 483–488**

- clinical features, 485
- course and prognosis, 487
- detoxification, 486
- diagnostics, 485–486
- differential diagnosis, 485
- drugs of choice, 486
- etiology/pathophysiology, 483–484
- methemoglobinemia, 483, 484
- signalment/history, 484–485
- therapeutics, 486–487

**Ophthalmic decontamination, 3, 37****Opiates and opioids, 38, 193–200**

- antidotes, 198–199, 199f
- clinical features, 197
- course and prognosis, 200
- detoxification, 198
- diagnostics, 198
- differential diagnosis, 197
- drug names, 194–195t
- drugs of choice, 199
- etiology/pathophysiology, 193, 195–196

signalment/history, 196–197

systems affected, 196

therapeutics, 198–199

**Opiates and opioids (illicit), 265–272**

- animal exposure to, 266, 268
- antidote, 270
- blood–brain barrier crossed, 267, 268
- clinical features, 268–269
- course and prognosis, 271
- detoxification, 269
- diagnostics, 269
- differential diagnosis, 269
- drugs of choice, 270
- etiology/pathophysiology, 266–268
- police dogs, 268, 271
- signalment/history, 266, 268
- systems affected, 267–269
- therapeutics, 269–271
- toxicity, 267
- types, 265–266

**Opioid receptor agonist, loperamide, 325**  
*see also* **Loperamide****Opioid receptors, 193, 267, 325****Opioids *see* **Opiates and opioids******Opium, 266****Organophosphates, management, 38****Organophosphorus and carbamate**  
**anticholinesterase pesticides, 633–639**

- antidotes, 637–638
- clinical features, 635–636
- course and prognosis, 639
- detoxification, 637
- diagnostics, 636
- differential diagnosis, 636
- drugs of choice, 638
- etiology/pathophysiology, 633–634
- intermediate syndrome, 635, 639
- pharmacokinetics, 634
- signalment/history, 635
- systems affected, 634
- therapeutics, 637–639
- toxicity, 634

**Oriental lily (*Lilium orientalis*), 724, 727f****Oscillatoria, 687**

- see also* **Blue-green algae (cyanobacteria)**

**Oubain (*Strophanthus gratus*), 704****Ovasyn® *see* **Amitraz******Over-the-counter drugs, 285–352**

- NSAIDs *see* **NSAIDs (human)**
- see also* **specific drugs/drug groups**

**Oxalates (insoluble), 740–748**

- clinical features, 746
- course and prognosis, 747
- detoxification, 747
- diagnostics, 746

- differential diagnosis, 746
- etiology/pathophysiology, 745
- idioblasts (crystals), 745
- plant sources, 740, 740f–744f, 745f
- signalment/history, 746
- therapeutics, 746–747
- Oxalates (soluble), 749–755**
  - clinical features, 753
  - course and prognosis, 754
  - diagnostics, 753
  - differential diagnosis, 753
  - drugs of choice, 754
  - etiology/pathophysiology, 751–752
  - plant sources, 749
  - signalment/history, 752
  - therapeutics, 753–754
- Oxalic acid, 66, 749, 751
  - see also* **Acids**
- Oxalis* spp., 749, 750f
  - see also* **Oxalates (soluble)**
- Oxazepam, 135t
  - see also* **Benzodiazepines**
- Oxcarbazine, 118t, 119, 120
  - see also* **Antiseizure medications**
- Oxibendazole, 849t
- Oxprenolol, 147t
  - see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Oxybenzene *see* **Phenols and pine oils**
- Oxycodone, 195t, 197, 266
  - see also* **Opiates and opioids**
- Oxygen absorbers, 504–505
  - iron toxicosis, 649, 651
- Oxymetazoline, 303, 307
  - see also* **Decongestants (imidazolines)**
- Oxymorphone, 195t
  - see also* **Opiates and opioids**
- P-glycoprotein (P-gp), 325, 328
- Pacific yew (*Taxus brevifolia*), 780
  - see also* **Yew (Taxus)**
- Paintballs, 590–597, 590f, 592f**
  - clinical features, 593
  - components, 590
  - course and prognosis, 596
  - detoxification, 594
  - diagnostics, 593
  - differential diagnosis, 593
  - drugs of choice, 595
  - etiology/pathophysiology, 591–592
  - signalment/history, 592
  - therapeutics, 594–596
- Paliperidone, 124
  - see also* **Atypical antipsychotics**
- Pamidronic acid (functional antidote), 25
- Pantothenic acid, 345
  - see also* **Vitamins and minerals**
- Papaver somniferum* (poppy), 266, 266f
- Paperwhite (*Narcissus* spp.), 766f, 882t
  - see also* **Narcissus spp.; Spring bulbs**
- Paracetamol toxicosis *see* **Acetaminophen**
- Paradichlorobenzene (PDB) mothballs, 583, 584, 586
  - toxicity, 584
    - see also* **Mothballs**
- Paralytic shellfish poisoning *see* **Blue-green algae (cyanobacteria), other**
- Paraquat *see* **Diquat and paraquat**
- Paroxetine (Paxil®), 201
  - see also* **SSRI and SNRI antidepressants**
- Paxil®, 201
  - see also* **SSRI and SNRI antidepressants**
- PCP *see* **Phencyclidine (PCP)**
- Peace lily (*Spathiphyllum* spp.), 740, 743f
  - see also* **Oxalates (insoluble)**
- Peaches (*Prunus* spp.), 715, 878t
  - see also* **Cyanogenic glycosides**
- Penbutolol, 147t
  - see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Pendimethalin, 527, 528, 528t, 529
  - see also* **Herbicides**
- D-Penicillamine (as antidote), 23, 864
- Penicillium* spp., 477
  - see also* **Mycotoxins (tremorgenic)**
- Penitrem A, 477, 479
  - see also* **Mycotoxins (tremorgenic)**
- Pennyroyal oil, 546
  - see also* **Essential oils and liquid potpourri**
- Pens/pencils, as foreign object, 504
- Pentazocine, 195t
  - see also* **Opiates and opioids**
- Peppermint oil, 546
  - see also* **Essential oils and liquid potpourri**
- Permethrin, 9, 640
  - differential diagnosis, 363
  - see also* **Pyrethrins and pyrethroids**
- Persian violet (*Cyclamen persicum*), 882t
- Pesticides
  - in bone and blood meal, 511
  - carbamate anticholinesterase *see* **Organophosphorus and carbamate anticholinesterase pesticides**
  - macrocyclic lactones *see* **Macrocylic lactones**
  - organophosphate, 633, 634
    - see also* **Organophosphorus and carbamate anticholinesterase pesticides**
  - organophosphorus *see* **Organophosphorus and carbamate anticholinesterase pesticides**

Pesticides (*cont'd*)

paraquat *see* **Diquat and paraquat**  
*see also* **Insecticides; Metaldehyde; Rodenticides**

**Pet food**, 46, 46, 53–56, 54

adulteration, classes, 53  
 changes in, illness/poisoning, 46, 54  
 clinical laboratory examination, 54  
 clinical signs, 54  
 contamination, 53, 472  
 historical information, 54  
 information for reporting, 55  
 postmortem lesions, 54  
 reporting, 55  
 samples/sampling, 46, 55

**Pet Poison Helpline**, 36**Peyote cactus (mescaline)**, 259**Pheasant's eye (*Adonis* spp.)**, 879t**Phenanthridine alkaloids**, 767**Phencyclidine (PCP)**, 258, 273–277

clinical features, 274  
 course and prognosis, 276  
 diagnostics, 275  
 differential diagnosis, 275  
 drugs of choice, 276  
 etiology/pathophysiology, 273–274  
 police dogs, 274, 276  
 signalment/history, 274  
 synonyms, 276  
 systems affected, 274  
 therapeutics, 275–276  
 toxicity, 273–274

**Phenic acid** *see* **Phenols and pine oils****Phenobarbital**, 37

clinical features, 119  
 diagnostics, 120  
 mechanisms, toxic principles, 118t  
*see also* **Antiseizure medications**

**Phenol** *see* **Phenols and pine oils****Phenol alcohol** *see* **Phenols and pine oils****Phenolic derivatives**, 598, 599

*see also* **Phenols and pine oils**

**Phenolic resins**, 598**Phenols and pine oils**, 598–604

clinical features, 600  
 course and prognosis, 603  
 detoxification, 601  
 diagnostics, 600–601  
 differential diagnosis, 600  
 drugs of choice, 602  
 etiology/pathophysiology, 598–599  
 signalment/history, 600  
 sources/phenolic derivatives, 598  
 systems affected, 599  
 therapeutics, 601–602

Phenoxy acid derivatives (herbicides), 527  
*see also* **Herbicides**

Phenyl hydroxide *see* **Phenols and pine oils**

Phenyl oxalate ester, 669

Phenylalkylamine, 159t

Phenylbutazone, 44t

Phenylephrine (PE), 308

toxicity, 309

toxicosis, signs, 310

*see also* **Decongestants (pseudoephedrine/phenylephrine)**

Phenylic acid *see* **Phenols and pine oils**

Phenylic alcohol *see* **Phenols and**

**pine oils**

Phenylphenol, 598

**Phenylpropanolamine (PPP)**, 375–379

clinical features, 376  
 course and prognosis, 378  
 diagnostics, 377  
 differential diagnosis, 377  
 drugs of choice, 378  
 etiology/pathophysiology, 375–376  
 signalment/history, 376  
 synonyms, 379  
 systems affected, 376  
 therapeutics, 377–378

Phenytoin, 118t, 119, 120

*see also* **Antiseizure medications**

*Philodendron* spp. (philodendrone, sweetheart vine, hope plant), 740, 743f, 883t

police dogs, 235

*see also* **Oxalates (insoluble)**

PhisoHex®, 598

*see also* **Phenols and pine oils**

*Phoradendron* spp. (mistletoe), 881t

**Phosphides**, 812–818

clinical features, 814  
 course and prognosis, 818  
 detoxification, 815  
 diagnostics, 815  
 differential diagnosis, 814  
 drugs of choice, 815–816  
 etiology/pathophysiology, 812–813  
 signalment/history, 813–814  
 therapeutics, 815–817

Phosphine gas, 812, 813, 814, 817

Phospholipase A, 440

Phosphonomethyl amino acids, 527

Phosphoric acid *see* **Acids**

Phosphorus, 345

in fireworks, 578t

toxicity, 346

*see also* **Vitamins and minerals**

- Phosphorus sesquisulfide, in matches *see* **Matches and fireworks**
- Phthalic ester, 669
- Physical examination, 33
- Physostigmine, 35
- Phytocannabinoids, 219–220, 220–221, 243, 279  
*see also* **Cannabidiol (CBD)**
- Phytonadione (vitamin K1), as functional  
antidote, 26, 696, 702, 792
- Pimobendan, 380–384**  
clinical features, 382  
diagnostics, 382–383  
differential diagnosis, 382  
etiology/pathophysiology, 380–381  
signalment/history, 381–382  
therapeutics, 383  
toxicity, 381
- Pindolol, 147t  
*see also* **Beta-blocker (beta receptor antagonists) ingestion**
- Pine oils, 598, 599  
components, 598  
*see also* **Phenols and pine oils**
- Pine Sol, 598
- Pinocamphone, 547
- Piperazine, 851t
- Piperazine salts, 851t
- Piperonyl butoxide, 640  
*see also* **Pyrethrins and pyrethroids**
- Planktothrix*, 687, 692, 699  
*see also* **Blue-green algae (cyanobacteria)**
- Plants and biotoxins, 679–784, 875t–884t**  
samples, identification, 46  
*see also* **specific plants**
- Play dough, 489, 490, 493
- Poinsettia (*Euphorbia pulcherrima*), 883t
- Point-of-care tests, 40, 68
- Polyethylene glycol (PET)  
in paintballs, 590  
*see also* **Paintballs**
- Polymyxin B, 870t
- Polyvinyl acetate (PVA) glues/adhesives, 81
- Pool chemicals, alkaline *see* **Alkalis**
- Pool cleaners *see* **Acids**
- Pool water, 505
- Positive pressure ventilation (PPV), 13
- Postmortem lesions/examination, 45, 54, 333
- Potassium, in fireworks, 578t
- Potassium bromide (KBr), 118t, 119  
*see also* **Antiseizure medications**
- Potassium chlorate, 578
- Potassium hydroxide *see* **Alkalis**
- Potassium nitrate, in fireworks, 578t
- Potassium perchlorate, in fireworks, 578t
- Potential for toxicosis, calculating, 866–867
- Pothos (*Epipremnum* spp.), 740, 744f, 883t  
*see also* **Oxalates (insoluble)**
- Potpourri, liquid *see* **Essential oils and liquid potpourri**
- PPA *see* **Phenylpropanolamine (PPA)**
- Pralidoxime (2 PAM), as antidote, 29–30, 34, 638, 816
- Pramoxine, 873t
- Prazinoisoquinolines, 852t
- Praziquantel, 852t
- Precatory bean (*Abrus precatorius*), 883t
- Preventic® *see* **Amitraz**
- Prilocaine, 873t
- Procainamide, 18
- Professional misconduct, 51
- Progesterone, 180–185**  
clinical features, 182  
diagnostics, 183  
differential diagnosis, 182–183  
drugs of choice, 184  
etiology/pathophysiology, 180–181  
signalment/history, 181–182  
systems affected, 181  
therapeutics, 183–185
- Proin *see* **Phenylpropanolamine (PPP)**
- Propalin® *see* **Phenylpropanolamine (PPP)**
- Propane-1,2-diol *see* **Propylene glycol**
- Propoxyphene, 268
- Propranolol, 18  
pharmacokinetics, 146  
toxicity, 148  
*see also* **Beta-blocker (beta receptor antagonists) ingestion**
- N-Propyl disulfide, 483
- Propylene glycol, 73–78, 590**  
antidotes and drugs of choice, 76  
clinical features, 75  
course and prognosis, 77  
detoxification, 76  
diagnostics and pathology, 75–76  
differential diagnosis, 75  
etiology/pathophysiology, 73–74  
pharmacokinetics, 74, 76  
prevention/avoidance, 77  
signalment/history, 74–75  
sources, 73, 74  
systems affected, 74, 75  
therapeutics, 76–77  
toxicity, dose, 74  
*see also* **Paintballs**
- Prostaglandins, inhibition, 319  
*see also* **NSAIDs (human)**

- Protamine sulfate (antidote), 24–25
- Prozac®, 201  
     *see also* SSRI and SNRI antidepressants
- Prunasin, 715
- Prunus* spp., 715, 716f, 878t  
     *see also* Cyanogenic glycosides
- Prussic acid, 547, 715  
     *see also* Cyanogenic glycosides
- Pseudocholinesterase (plasma cholinesterase), 633  
     *see also* Organophosphorus and carbamate anticholinesterase pesticides
- Pseudoephedrine (PSE), 308–309  
     in Ephedra, 541, 542  
         *see also* Ephedra (Ma Huang)  
     herbals containing, 541, 544  
     toxicity, 309  
     toxicosis, signs, 310  
     *see also* Decongestants (pseudoephedrine/phenylephrine)
- Psilocin, 259
- Psilocybin, 259
- Psychoactive drugs, 265
- Psychotria viridis*, 259
- Pteridium aquilinum* (bracken fern), 715
- Pulegone, 546
- Pulse oximetry, 16–17
- Pyrantel pamoate, 850t
- Pyrantel tartrate, 850t
- Pyrethrins and pyrethroids, 640–646**  
     clinical features, 641  
     complications, 644  
     course and prognosis, 644  
     detoxification, 642–643  
     diagnostics, 642  
     differential diagnosis, 642  
     drugs of choice/alternative, 643, 644  
     etiology/pathophysiology, 640–641  
     signalment/history, 641  
     therapeutics, 642–644
- Pyrethroids *see* Pyrethrins and pyrethroids
- Pyridostigmine, as antidote, 30, 35
- Pyridoxine *see* Vitamin B<sub>6</sub> (pyridoxine)
- Pyriproxyfen, 640  
     *see also* Pyrethrins and pyrethroids
- Quazepam, 135t  
     *see also* Benzodiazepines
- Queen sago *see* Sago palm (cycads)
- Quetiapine, 124  
     *see also* Atypical antipsychotics
- Raisins *see* Grapes and raisins
- Ramipril, 112, 113  
     *see also* Angiotensin-converting enzyme inhibitors (ACEIs)
- Rattler Antivenin, 410
- Rattlesnake vaccine, 411
- Rattlesnakes, 402, 403f, 404f, 405f, 407
- Recreational drugs (illicit drugs), 217–283**  
     *see also* specific drugs/drug groups
- Red lily (*Lilium umbellatum*), 724, 727f
- Reductil®, 201  
     *see also* SSRI and SNRI antidepressants
- Reference Information, 853–858**
- Referral, 51–52
- Remifentanyl, 195t  
     *see also* Opiates and opioids
- Renal outer medullary potassium channel inhibitor, 174t
- Renin-angiotensin-aldosterone system (RAAS), 111  
     *see also* Angiotensin-converting enzyme inhibitors (ACEIs)
- Resorcin *see* Phenols and pine oils
- Resorcinol *see* Phenols and pine oils
- Resuscitation, fluid therapy, 17
- Reversal agents, 13
- Revolution Plus® *see* Isoxazolines
- Rhinella marina* (*Bufo marinus*), 433  
     *see also* Toads, envenomation
- Rhinella schneideri* (*Bufo paracnemis*), 433  
     *see also* Toads, envenomation
- Rhododendrons *see* Azaleas and rhododendrons
- Rhodotoxins *see* Grayanotoxins
- Rhofade®, 303
- Rhubarb (*Rheum rhabarbarum*), 749, 749f, 752  
     *see also* Oxalates (soluble)
- Riboflavin *see* Vitamin B<sub>2</sub> (riboflavin)
- Ricinus communis* (castor bean), 877t
- Risperdal®, 124  
     *see also* Atypical antipsychotics
- Risperidone, 124  
     *see also* Atypical antipsychotics
- Ritalin® *see* Amphetamines
- Robenacoxib, 385, 386, 387  
     *see also* NSAIDs (veterinary)
- Rock salt, 489, 490
- Rodenticides, 785–824**  
     anticoagulant *see* Anticoagulant rodenticides (AR)  
     bromethalin *see* Bromethalin  
     cholecalciferol *see* Cholecalciferol  
     phosphides *see* Phosphides  
     sodium monofluoroacetate *see* Sodium monofluoroacetate (compound 1080®)  
     strychnine *see* Strychnine
- Rohypnol® (flunitrazepam) *see* Club drugs (MDMA, GHB, flunitrazepam, Bath Salts)
- Romifidine *see* Alpha-2-adrenergic agonists (veterinary)

- Ropinirole, 5–6  
 Roquefortine, 477  
   *see also* **Mycotoxins (tremorgenic)**  
 Rosary pea (*Abrus precatorius*), 883t  
 Rose lily (*Lilium orientalis*), 723, 723f  
 Round-up®, 531  
 Rubidium (rubidium nitrate), in  
   fireworks, 578t  
 Rust cleaners *see* **Acids**  
 Rust removers, 93, 94
- Saccharides, nonabsorbable (as cathartic), 7  
 Sage oil, 547  
   *see also* **Essential oils and liquid potpourri**
- Sago palm (cycads), 756–763**  
   clinical features, 759  
   course and prognosis, 762  
   description and figures, 756, 757f, 758f  
   detoxification, 760  
   diagnostics, 760  
   differential diagnosis, 759–760  
   drugs of choice, 761  
   etiology/pathophysiology, 756, 758–759  
   signalment/history, 759  
   therapeutics, 760–762  
   toxin types, 758
- Salamanders (newts), 421, 422, 424  
   clinical features of bite/venom, 424  
   therapeutics, 425–426  
   toxins, 422, 423
- Salbutamol, 139  
   *see also* **Beta-2 receptor agonists**
- Salicylate toxicity *see* **Aspirin**
- Salicylic acid, 293
- Salt (sodium chloride), 489–494**  
   clinical features, 491  
   course and prognosis, 493  
   detoxification, 492  
   diagnostics, 491  
   differential diagnosis, 491  
   drugs of choice, 492  
   etiology/pathophysiology, 489–490  
   signalment/history, 490–491  
   therapeutics, 491–493
- Salvia (*Salvia divinorum*), 259, 264
- Salvorin-A, 259
- Sambucus* spp. (elderberry), 715
- Sandimmune®, 169  
   *see also* **Cyclosporine A**
- Sanitizers *see* **Acids**
- Saphris®, 124  
   *see also* **Atypical antipsychotics**
- Sarolaner *see* **Isoxazolines**
- Sativex®, 243  
   *see also* **Marijuana (THC)**
- Savella®  
   *see also* **SSRI and SNRI antidepressants**
- Saxitoxins, 699  
   *see also* **Blue-green algae (cyanobacteria)**
- Schizothrix, 698
- Scopolamine, 773  
   plants containing, 258
- Scopoletin, 772, 773
- Scorpions, 428–432**  
   Arizona bark (*Centruroides exilicauda*), 428, 428f, 429f  
   clinical features, 430  
   diagnostics, 430–431  
   drugs of choice, 431  
   etiology/pathophysiology, 429  
   neurotoxins, 429  
   signalment/history, 430  
   species, 428  
   therapeutics, 431
- Sea grape *see* **Ephedra (Ma Huang)**
- Sea water, 489
- Selamectin, 367  
   *see* **Macrocyclic lactones; Macrocyclic lactones**
- Selenium, 862t
- Seroquel®, 124  
   *see also* **Atypical antipsychotics**
- Serotonin antagonists, 36  
   *see also* **SSRI and SNRI antidepressants**
- Serotonin norepinephrine reuptake inhibitors (SNRIs) *see* **SSRI and SNRI antidepressants**
- Serotonin reuptake inhibitors, 196  
   *see also* **SSRI and SNRI antidepressants**
- Serotonin reuptake inhibitors (SSRIs) *see* **SSRI and SNRI antidepressants**
- Serotonin toxidrome, 36–37
- Sertraline (Zoloft®), 201  
   *see also* **SSRI and SNRI antidepressants**
- Shamrock plant (*Oxalis* spp.), 749, 750f  
   *see also* **Oxalates (soluble)**
- Shrub verbena (*Lantana montevidensis*), 880t
- Sibutramine, 201  
   *see also* **SSRI and SNRI antidepressants**
- Sida cordifolia*, 544
- Silica gel packets, 505
- Simbadol®, 193, 195, 199  
   *see also* **Opiates and opioids**
- Simparica® *see* **Isoxazolines**
- Simparica Trio® *see* **Isoxazolines**
- Sinsemilla, 243  
   *see also* **Marijuana (THC)**
- Skeletal muscle relaxants, 26–27
- Sleep aids *see* **Nonbenzodiazepine (NBZD) sleep aids**
- Sleepy grass (*Stipa robusta*), 258



SLUDGE mnemonic, 634, 635, 639

treatment, 27, 263, 637

Slug bait, metaldehyde *see* **Metaldehyde**

**Smoke inhalation**, 832–838, 835

antidote, 836

carbon monoxide inhalation with, 828, 833

chemical irritants, 832, 833

clinical features, 834–835

course and prognosis, 837

cyanide, 833

detoxification, 836

diagnostics, 835–836

differential diagnosis, 835

drugs of choice, 836–837

etiology/pathophysiology, 832–834

signalment/history, 834

therapeutics, 836–837

*see also* **Carbon monoxide (CO)**

Snail bait, metaldehyde *see* **Metaldehyde**

**Snakes**

copperhead (*Agkistrodon laticinctus*), 403f, 408

coral *see* **Elapids (coral snakes)**

cottonmouth (water moccasin: *Agkistrodon conanti*), 402f

crotalids (pit vipers) *see* **Crotalids (pit vipers)**

Eastern coral (*Micrurus fulvius*), 414, 414f, 416

eastern diamondback rattlesnake (*Crotalus adamanteus*), 404f

Mojave rattlesnake (*Crotalus scutulatus*), 402, 403f, 407

pit vipers *see* **Crotalids (pit vipers)**

prairie rattlesnake (*Crotalus viridis*), 404f, 406f

rattlesnake vaccine, 411

rattlesnakes, 402, 403f, 404f, 405f, 407

Sonoran coral (*Micruroides euryxanthus*), 414, 415f, 416

Southern Pacific rattlesnake (*Crotalus helleri*), 407

Texas coral (*Micrurus tener*), 414, 415f, 417

Timber/canebrake rattlesnake (*Crotalus horridus*), 407

western diamondback rattlesnake (*Crotalus atrox*), 404f

*see also* **Crotalids (pit vipers)**

**Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**, 605–610

amphoteric, 605, 605t, 606

anionic, 605, 605t

cationic, 605, 605t, 606

clinical features, 607

components, 605

course and prognosis, 609

detoxification, 607–608

diagnostics, 607

differential diagnosis, 607

drugs (alternative), 608–609

etiology/pathophysiology, 606

signalment/history, 606

surfactants in, 605, 605t, 606

therapeutics, 607–609

Sodium, in fireworks, 578t

Sodium alk(en)yl thiosulfates, 483

Sodium bicarbonate (baking soda), 489, 490

Sodium chlorate, 578

Sodium chloride *see* **Salt (sodium chloride)**

Sodium fluoride, 673, 674

*see also* **Fluoride**

Sodium fluoroacetate toxicosis, 103

Sodium hydroxide *see* **Alkalis**

Sodium hypochlorite *see* **Alkalis**

**Sodium monofluoroacetate (compound 1080®)**, 807–811

clinical features, 808

course and prognosis, 810

detoxification, 809

diagnostics, 809

differential diagnosis, 808–809

etiology/pathophysiology, 807–808

signalment/history, 808

therapeutics, 809–810

Sodium *n*-propylthiosulfate, 483

Sodium nitrate, in fireworks, 578t

Sodium thiosulfate, as antidote, 721, 837

*Solanum lycopersicum* (tomato), 880t

*Solanum pseudocapsicum* (Jerusalem cherry, winter cherry), 880t

*Solanum tuberosum* (Irish potato), 880t

Sonata® (zaleplon), 189

*see also* **Nonbenzodiazepine (NBZD) sleep aids**

Sorbitol, 7, 590

Sorghum (*Sorghum*), 715

*see also* **Cyanogenic glycosides**

**Sotalol**

pharmacokinetics, 146

toxicity, 148

*see also* **Beta-blocker (beta receptor antagonists) ingestion**

Sowbread (*Cyclamen persicum*), 882t

**Spider venom**

black recluse spider *see* **Brown recluse spiders**

black widow spider *see* **Black widow spiders**

**Spinosad**, 628–632

clinical features, 629–630

drug interactions, 629

etiology/pathophysiology, 628, 629

signalment/history, 629

toxicity, 629

- Spinosyn A, and D, 628
- Spironolactone, 174t, 175  
     *see also* **Diuretics**
- Spring bulbs, 764–770**  
     clinical features, 768  
     course and prognosis, 769  
     detoxification, 769  
     diagnostics, 768  
     differential diagnosis, 768  
     drugs of choice, 769  
     etiology/pathophysiology, 764, 767  
     plant genera, 764, 764f  
     signalment/history, 767–768  
     therapeutics, 768–769
- Spring pheasant's eye (*Adonis vernalis*), 704
- Spurge olive (*Daphne mezereum*), 878t
- Squill (*Urginea indica*, *Urginea maritima*), 704
- SSRI and SNRI antidepressants, 201–205**  
     clinical features, 202–203  
     course and prognosis, 205  
     diagnostics, 203  
     differential diagnosis, 203  
     drugs included, 201  
     drugs of choice, 204  
     etiology/pathophysiology, 201–202  
     signalment/history, 202  
     systems affected, 202  
     therapeutics, 203–204
- Stain removers *see* **Acids**
- Stangeriaceae plants *see* **Sago palm (cycads)**
- Star fruit (*Averrhoa carambola*), 749, 750f, 751f, 752  
     *see also* **Oxalates (soluble)**
- Star of Bethlehem (*Ornithogalum umbellatum*), 704
- Stings  
     scorpion, 428  
     wasp, bee and hornet, 438, 440
- Stipa robusta*, 258
- Stomach content, toxicological testing, 39
- Strontium (strontium carbonate), in fireworks, 578t
- Strychnine, 819–824**  
     clinical features, 820–821  
     course and prognosis, 823  
     detoxification, 822  
     diagnostics, 821–822  
     differential diagnosis, 103, 808, 821  
     etiology/pathophysiology, 819–820  
     signalment/history, 820  
     therapeutics, 822–823
- Strychnos ignatii*, 819
- Strychnos nux-vomica*, 819
- Succimer (dimercaptosuccinic acid, DMSA), as antidote, 23–24, 659, 660, 864
- Sudafed® *see* **Decongestants (pseudoephedrine/phenylephrine)**
- Sudan grass (*Sorghum*), 715  
     *see also* **Cyanogenic glycosides**
- Sufentanil, 195t  
     *see also* **Opiates and opioids**
- Sugarless gum, 495, 498  
     *see also* **Xylitol**
- Sulfur, in fireworks, 578t
- Sulfur dioxide, in fireworks, 578t
- Sulfuric acid *see* **Acids**
- Sultanas *see* **Grapes and raisins**
- Surfactants  
     common, 605t  
     in soaps, detergents and fabric softeners, 605, 605t, 606  
     toxicity, 606  
     *see also* **Soaps, detergents, fabric softeners, enzymatic cleaners and deodorizers**
- Sweeteners, xylitol *see* **Xylitol**
- Sweetheart vine (*Philodendron* spp.), 740, 883, 883t  
     *see also* **Oxalates (insoluble)**
- Swiss cheese plant (*Monstera deliciosa*), 740, 743f, 881t  
     *see also* **Oxalates (insoluble)**
- Sword lily (*Iris* spp.), 880t
- Sympathomimetic agents, 35, 303
- Sympathomimetic amines *see* **Amphetamines**
- Sympathomimetic toxidrome, 35–36
- Synthetic cannabinoids (SCBs), 278–283**  
     as CB1 receptor agonists, 278  
     clinical features, 280  
     course and prognosis, 282  
     detoxification, 281  
     diagnostics, 280–281  
     differential diagnosis, 280  
     drugs of choice, 281  
     etiology/pathophysiology, 278–279  
     names of, 278  
     police dogs, 279, 282  
     signalment/history, 279  
     systems affected, 279  
     therapeutics, 281–282
- Table salt, 489, 490  
     *see also* **Salt (sodium chloride)**
- Tacrolimus, 172, 206–210**  
     clinical features, 207–208  
     course and prognosis, 209  
     diagnostics, 208  
     differential diagnosis, 208  
     drugs of choice, 208–209  
     etiology/pathophysiology, 206–207

**Tacrolimus** (*cont'd*)

- signalment/history, 207
- systems affected, 207
- therapeutics, 208–209
- see also* Cyclosporine A

**Tactic®** *see* Amitraz**Tapentadol**, 195t, 196

- see also* Opiates and opioids

**Tapioca** (*Manihot esculenta*), 715**Taricha** spp. (salamanders), 421, 422**Tartaric acid**, 460**Taxines**, 779, 780

- see also* Yew

**Taxus** spp., 778, 778f

- see also* Yew

**Tea tree oil** (melaleuca oil), 546, 552–556

- clinical features, 553–554
- detoxification, 554
- diagnostics, 554
- differential diagnosis, 554
- drugs of choice, 555
- etiology/pathophysiology, 552–553
- signalment/history, 553
- sources/products with, 552
- therapeutics, 554–555

**Telazol®**, 134**Temazepam**, 135t

- see also* Benzodiazepines

**Tepoxalin**, 385, 386

- see also* NSAIDs (veterinary)

**Terbinafine**, 871t**Terbutaline**, 139, 140

- see also* Beta-2 receptor agonists

**Terpentine oil** *see* Phenols and pine oils**Δ9-Tetrahydrocannabinol (THC)** *see* Marijuana (THC)**Tetrahydropyrimidines**, 850t**Tetrahydrozoline**, 303, 307**Tetrazolina**, 307**Tetrodotoxin**, 422, 423, 424

- clinical features, 424
- course and prognosis after bite, 426
- differential diagnosis, 424
- toxicity, 423

**Tetryzoline**, 307**Textbooks**, veterinary toxicology, 854**THC** (Δ9-tetrahydrocannabinol) *see* Marijuana (THC)**Theobromine**, 454, 504

- toxicokinetics, toxicity, 454, 455
- see also* Chocolate and caffeine

**Therapeutic plasma exchange (TPE)**, 10–11**Thiacloprid**, 619

- toxicity, 620
- see also* Imidacloprid and other neonicotinoids

**Thiafentanil**, 195t

- see also* Opiates and opioids

**Thiamethoxam**, 619

- toxicity, 621

- see also* Imidacloprid and other neonicotinoids

**Thiamine** *see* Vitamin B<sub>1</sub> (thiamine)**Thiazides**, 174t

- see also* Diuretics

**Thioctic acid** (alpha-lipoic acid), 347**Thiocyanate**, 719**Thorn apple** (*Datura stramonium*), 883t**Thuga oil** (thujone), 547

- see also* Essential oils and liquid potpourri

**Thyroid hormones** (T3 and T4), 211–215

- clinical features, 213
- course and prognosis, 215
- detoxification, 213
- diagnostics, 213
- differential diagnosis, 213
- drugs of choice, 214
- etiology/pathophysiology, 211–212
- signalment/history, 212
- systems affected, 212
- therapeutics, 213–214
- toxicity, 212

**Thyroxine** (T4), 211

- see also* Thyroid hormones (T3 and T4)

**Tiger lily** (*Lilium tigrinum*), 724, 728f**Tik® Torch Oil**, 87f**Tiletamine**, 134**Timolol**, 147t

- see also* Beta-blocker (beta receptor antagonists) ingestion

**Tin**, 862t**Tioconazole**, 871t**Titanium**, in fireworks, 578t**Tizanidine** *see* Alpha-2-adrenergic agonists (veterinary)**Toads, envenomation**, 433–437

- clinical features, 435
- Colorado River, 433, 437
- course and prognosis, 437
- detoxification, 435–436
- diagnostics, 435
- differential diagnosis, 435
- drugs of choice, 436–437
- etiology/pathophysiology, 434
- Marine (cane) (*Rhinella* (*Bufo*) *marina*), 433, 433f, 434, 437
- signalment/history, 434–435
- Sonoran Desert, 433
- species, 433–434, 433f
- systems affected by, 434

- therapeutics, 435–437  
venom, components, 434
- Tobacco *see* **Nicotine and tobacco**
- Tobacco plant (*Nicotiana tabacum*), 884t
- Tolak® *see* **5-fluorouracil (5-FU)**
- Tolazoline, as antidote, 27, 303
- Tolnaftate, 871t
- Toluene, 86
- Tomato (*Solanum lycopersicum*), 880t
- Toothpaste, fluoride, 673, 674  
*see also* **Fluoride**
- Topical toxins, 869–874**  
*see also specific toxins*
- Topiramate, 118t, 119, 120  
*see also* **Antiseizure medications**
- Torsemide, 174t, 175  
*see also* **Diuretics**
- Total iron-binding capacity (TIBC), 44t, 649
- Toxic gases, 825–838**  
carbon monoxide *see* **Carbon monoxide (CO)**  
smoke *see* **Smoke inhalation**
- Toxicological exposure, estimate, 865–866
- Toxicological testing, 39–40  
necropsy specimens, 45, 45t  
*see also* **Diagnostic testing**
- Toxicology information, resources, 853–858**
- Toxidromes, 34–37  
anticholinergic, 35  
cholinergic, 34  
serotonin, 36–37  
sympathomimetic, 35–36
- Tramadol, 195t, 196, 268  
for crotalid (pit vipers) bites, 411  
*see also* **Opiates and opioids**
- Tranexamic acid, 6
- Transfusion therapy, estrogen and  
progesterone, 184
- Tremorgens, mycotoxic *see* **Mycotoxins (tremorgenic)**
- Triatix® *see* **Amitraz**
- Triatox® *see* **Amitraz**
- Triazolam, 135t  
*see also* **Benzodiazepines**
- Trientine (TETA; 2,2,2 tetramine)  
(antidote), 24
- Trifolium repens* (white clover), 715
- Triglochin* spp., 715
- Triiodothyronine (T3), 211  
*see also* **Thyroid hormones (T3 and T4)**
- Tropane alkaloids, plants containing, 258
- Tryptophan, 347
- Tulip (*Tulipa* spp.), 764, 766f, 767, 883t  
*see also* **Spring bulbs**
- Tuliposides A and B, 767
- Tylenol toxicosis *see* **Acetaminophen**
- Umbrella plant (*Schefflera actinophylla*),  
740, 744f  
*see also* **Oxalates (insoluble)**
- Undecylenic acid, 871t
- Unknown toxicant *see* **Identification/management of unknown toxicant**
- Upneeq®, 303
- Upright elephant's ear (*Xanthosoma* spp.),  
740, 745f  
*see also* **Oxalates (insoluble)**
- Urtica* spp. (nettle), 882t
- Valium®, 134  
*see also* **Benzodiazepines**
- Valproic acid, 118t, 119, 120  
*see also* **Antiseizure medications**
- Vape pens, 338t
- Vasopressin, 18
- Vasopressor/positive inotrope therapy, 18
- Venlafaxine (Effexor), 201  
*see also* **SSRI and SNRI antidepressants**
- Venom Vet® antivenin, 410
- Venoms *see* **Envenomations**
- Verapamil, 158  
*see also* **Calcium channel blockers**
- Versed®, 134
- Vespoidea, 438
- Veterinary drugs, 353–389**  
*see also specific drugs/drug groups*
- Veterinary medical board (VMB), 48
- Veterinary negligence, 51
- Veterinary NSAIDs *see* **NSAIDs (veterinary)**
- Veterinary professional misconduct, 51
- Vetmedin® *see* **Pimobendan**
- Viibryd®, 201  
*see also* **SSRI and SNRI antidepressants**
- Vilazodone (Viibryd®), 201  
*see also* **SSRI and SNRI antidepressants**
- Vistonuridine (uridine triacetate), as antidote, 104
- Vitamin A, 343, 344, 348  
detoxification, 348  
prognosis, 350  
toxicity, 346  
*see also* **Vitamins and minerals**
- Vitamin B<sub>1</sub> (thiamine), 344  
*see also* **Vitamins and minerals**
- Vitamin B<sub>2</sub> (riboflavin), 344  
*see also* **Vitamins and minerals**
- Vitamin B<sub>3</sub> (niacin), 344  
*see also* **Vitamins and minerals**
- Vitamin B<sub>6</sub> (pyridoxine), 344  
as antidote, 30, 345  
*see also* **Vitamins and minerals**
- Vitamin B<sub>12</sub> (cobalamin), 344  
*see also* **Vitamins and minerals**

- Vitamin C (ascorbic acid), 345, 348  
toxicity, 346  
*see also* **Vitamins and minerals**
- Vitamin D, 801
- Vitamin D<sub>2</sub> (ergocalciferol), 801
- Vitamin D<sub>3</sub> (cholecalciferol), 343, 345, 348, 350  
with calcium supplements, 300, 301, 302  
detoxification, 349  
toxicity, 346  
*see also* **Cholecalciferol; Vitamins and minerals**
- Vitamin E, 345  
*see also* **Vitamins and minerals**
- Vitamin K<sub>1</sub>, 792, 793  
phytonadione (vitamin K<sub>1</sub>), as functional  
antidote, 26, 696, 702, 792  
*see also* **Vitamins and minerals**
- Vitamin K1-dependent clotting factors, reduced,  
788, 789
- Vitamins and minerals, 343–351, 344f**  
clinical features, 346, 347  
course and prognosis, 350  
detoxification, 348–349  
diagnostics, 348  
differential diagnosis, 347–348  
drugs of choice, 349  
etiology/pathophysiology, 343–346  
ingredients used with, 347  
multivitamins, 343, 348, 349  
signalment/history, 347  
systems affected, 346  
therapeutics, 348–350  
toxicity, 345–346  
*see also specific vitamins/minerals*
- Vitis* genus *see* **Grapes and raisins**
- Vortioxetine (Brintellix®), 201  
*see also* **SSRI and SNRI antidepressants**
- Vyvanse® *see* **Amphetamines**
- Warfarin, 788  
*see also* **Anticoagulant rodenticides (AR)**
- Wasps, hornets and bees, envenomation, 438–446**  
clinical features, 443  
course and prognosis, 445  
diagnostics, 443  
differential diagnosis, 443  
drugs of choice, 444–445  
etiology/pathophysiology, 440  
severe envenomation, 445  
signalment/history, 440–443  
therapeutics, 444–445  
wasps, 438–445, 438f, 442  
venom, 438, 440
- Water pill *see* **Diuretics**
- WD-40, 86f
- Websites, toxicology, 855–858
- Weedkillers *see* **Herbicides**
- Weight, conversions, 867–868
- White clover (*Trifolium repens*), 715
- Winter cherry (*Solanum pseudocapsicum*), 880t
- Wintergreen oil, 546  
*see also* **Essential oils and liquid potpourri**
- Wisteria (*Wisteria* spp.), 884t
- Wolf's bane (*Aconitum* spp.), 881t
- Wood sugar *see* **Xylitol**
- Woodbine (*Gelsemium sempervirens*), 884t
- Wood's lamp, 69
- Wooly foxglove (*Digitalis lantana*), 704
- Wormseed wallflower (*Erysimum cheiranthoides*), 704
- Wormwood oil, 547  
*see also* **Essential oils and liquid potpourri**
- Xanax®, 134
- Xanthines, 174t
- Xylazine, 265, 271  
*see also* **Alpha-2-adrenergic agonists (veterinary)**
- Xylene, 86
- Xylenol *see* **Phenols and pine oils**
- Xylitol, 317, 347, 495–499**  
clinical features, 496  
course and prognosis, 499  
detoxification, 497  
diagnostics, 497  
differential diagnosis, 364, 497  
drugs of choice, 498  
etiology/pathophysiology, 495–496  
signalment/history, 496  
sources/products with, 495, 498, 499  
therapeutics, 497–498  
topical, 869
- Xylometazoline, 307
- Yard chemicals *see* Garden, yard and farm chemicals**
- Yellow horse *see* **Ephedra (Ma Huang)**
- Yellow jessamine (*Gelsemium sempervirens*), 884t
- Yellow oleander (*Cascabela thevetia*, *Thevetia peruviana*), 704, 709f  
*see also* **Cardiac glycosides**
- Yellow oxeye (*Adonis* spp.), 879t
- Yellowjackets, 438, 443
- Yesterday, today, and tomorrow plant, 771–777**  
clinical features, 773–774  
course and prognosis, 776  
detoxification, 775  
diagnostics, 774

- differential diagnosis, 774
- drugs of choice, 775
- plant species, 771, 771f
- signalment/history, 773
- therapeutics, 775–776
- toxins, 772–773
- Yew (*Taxus*), 778–784**
  - arils (fruit) of, 779, 779f
  - clinical features, 780
  - course and prognosis, 783
  - description, 778–779, 778f
  - differential diagnosis, 780–781
  - drugs of choice, 781–782
  - etiology/pathophysiology, 779–780
  - signalment/history, 780
  - therapeutics, 781–782
- Yohimbine, as antidote, 6, 27, 263, 305, 358, 452, 531, 617, 643
- Yucca*(*Manihot esculenta*), 715
- Zaleplon (Sonata®), 189
  - see also* Nonbenzodiazepine (NBZD) sleep aids
- Zamia furfuracea* (cardboard palm), 756, 758f
  - see also* Sago palm (cycads)
- Zamiaceae plants *see* Sago palm (cycads)
- Zantedeschia aethiopica* (calla lilly), 740, 741f, 877t
  - see also* Oxalates (insoluble)
- Zinc, 345, 662–666**
  - antidotes, 665
  - clinical features, 663–664
  - course and prognosis, 665
  - detoxification, 664
  - diagnostics, 664
  - differential diagnosis, 664
  - etiology/pathophysiology, 662–663
  - in fireworks, 578t
  - signalment/history, 663
  - sources, 662, 664
  - therapeutics, 664–665
  - see also* Vitamins and minerals
- Zinc acetate, 662
- Zinc carbonate, 662
- Zinc chloride, 662
- Zinc gluconate, 662
- Zinc oxide, 662
- Zinc phosphate, differential diagnosis, 103
- Zinc phosphide, 812, 813
  - see also* Phosphides
- Zinc pyrithione, 662
- Zinc sulfide, 662
- Ziprasidone, 124
  - see also* Atypical antipsychotics
- Zolazepam, 134
- Zoledronate (functional antidote), 25
- Zoloft®, 201
  - see also* SSRI and SNRI antidepressants
- Zolpidem (Ambien®), 189, 190
  - see also* Nonbenzodiazepine (NBZD) sleep aids
- Zonisamide, 118t, 119, 120
  - see also* Antiseizure medications
- Zootoxins, 421–427**
  - batrachotoxin *see* Batrachotoxin
  - clinical features, 424–425
  - diagnostics, 425
  - differential diagnosis, 425
  - gilatoxin, 423
  - from *Heloderma*, 422, 423, 424, 425
  - signalment/history, 424
  - tetrodotoxin *see* Tetrodotoxin
  - therapeutics, 425–426
  - see also* Frogs (*Phylllobates* spp.); Lizards; Salamanders
- Zorbium®, 193, 196, 199
- Zyprexa®, 124
  - see also* Atypical antipsychotics