

Symbole

* Syntax (natbib), 100
 ; Wert (natbib), 97
 #, 14
 \$key, 34
 @comment, 14
 @preamble, 13
 @string, 13

A

a. a. O., 133
 abbrev Wert (bibtex), 52
 abs Wert (biblatex), 116
 accsupp Paket, 249
 \addbibresource (biblatex), 123–132
 \addcontentsline, 10, 10, 11
 address Bib_{TeX} Feld, 24
 \addtocategory (biblatex), 144, 145
 all+ Wert (biblatex), 113, 114
 allfull Wert (biblatex), 121
 allinit Wert (biblatex), 121
 \Alph, 82
 alpha Option, 77
 alpha Wert, 17
 (bibtex), 52
 alphabetic Wert (biblatex), 122, 124, 139, 140, 141, 142, 162
 alphabetic-verb Wert (biblatex), 122, 124
 American Physical Society, 100
 anyt Wert (biblatex), 110, 142
 anyvt Wert (biblatex), 110
 apa Wert (biblatex), 167, 168
 apalike Wert (bibtex), 52
 apalike Paket, 63
 article Bib_{TeX} Entry-Typ, 16, 20, 24, 25
 (biblatex), 150, 151, 159, 203
 arXiv, 116
 ASCII, 12, 13, 116
 astron Paket, 63
 author Bib_{TeX} Feld, 24
 authordate1-4 Paket, 63
 authortitle Wert (biblatex), 122, 127, 139, 139, 141, 141, 142, 144, 145, 173, 205
 authortitle-comp Wert (biblatex), 122, 128, 128, 129
 authortitle-dw Wert (biblatex), 167, 173
 authortitle-ibid Wert (biblatex), 122, 130
 authortitle-icomp Wert (biblatex), 122, 129, 129, 130
 authortitle-tcomp Wert (biblatex), 122, 129, 129
 authortitle-terse Wert (biblatex), 122, 128, 129
 authortitle-ticomp Wert (biblatex), 122, 130
 authoryear Option
 (biblatex), 141
 (natbib), 94, 97
 authoryear Wert (biblatex), 122, 125, 139, 142, 147, 148, 148, 197, 197, 198, 198, 199
 authoryear-comp Wert (biblatex), 122, 125, 126
 authoryear-ibid Wert (biblatex), 122, 126, 126
 authoryear-icomp Wert (biblatex), 122, 127
 authoryear-luh-ipw Wert (biblatex), 182

auto Wert (biblatex), 112, 113, 116
 autobib Wert (biblatex), 112
 \autocap (biblatex), 164
 \autocite (biblatex), 112, 140, 141, 141, 178, 179
 autocite Option (biblatex), 123–128, 130–136, 141, 141
 autocite Wert (biblatex), 112
 Autor-Jahr-Schema, 93, 122
 Autor-Stil, 176
 .aux Dateiendung, 34, 37–39, 41, 92, 235, 236
 (biblatex), 147
 (bibtopic), 80
 (bibunits), 82, 85
 (chapterbib), 86
 (mlbibtex), 226
 (multibib), 92
 aux2bib Programm, 236
 aysep Option (natbib), 94, 97

B

babel Option (biblatex), 171
 babel Paket, 112, 155
 backend Option (biblatex), 28
 .bb1 Dateiendung, 32, 38, 42, 46, 47, 76, 217, 236
 (biblatex), 206, 207, 218
 (bibtopic), 80
 (bibunits), 82
 (mlbibtex), 227
 bbl2html Programm, 236
 .bbx Dateiendung (biblatex), 110, 150, 154, 158
 .bcf Dateiendung, 216–218
 (biblatex), 218
 \bf, 64, 65
 .bib Dateiendung, 25, 41, 46, 83, 236, 239, 247
 (biblatex), 146, 209
 (mlbibtex), 225–227
 bib Wert (biblatex), 111, 114, 118
 bib2dvi Programm, 236
 bib2html Programm, 236
 bib2xhtml Programm, 236
 \BIBand, 69
 \bibbycategory (biblatex), 144, 144, 145, 145
 \bibbysection (biblatex), 147, 148
 \bibclosebracket (biblatex), 120
 \bibcloseparen (biblatex), 120
 \bibdata, 41
 \bibellipsis (biblatex), 164
 bibencoding Option (biblatex), 171
 Biber Programm, 110, 213, 214
 biber Wert (biblatex), 110
 biber Programm, 167
 bibexport.sh Programm, 235, 236
 bibextract Programm, 236
 \bibfont (natbib), 100, 102
 \bibhang Länge
 (biblatex), 162
 (natbib), 98
 \bibinfo, 69
 \bibinitsep Länge (biblatex), 162, 163
 BIBINPUTS Env.-Variable (bibtex), 41
 bibintoc Wert (biblatex), 149

- `\bibitem`, 7, 7, 9, 9, 10, 69
- `\bibitems` (bibtopic), 78
- `\bibitemsep` Länge (biblatex), 159, 162
- `\biblabelsep` Länge (biblatex), 159, 162
- `biblatex` Paket, 112, 113, 116, 155, 157, 158, 162, 167, 172, 173, 187, 190, 207
- `biblatex-chicago` Paket, 171
- `biblatex-jura` Wert (biblatex), 167, 175
- `biblatex-trad` Wert (biblatex), 183
- `biblatexml` Wert, 217
- Bibliografiedatenbank, 116
- `\bibliography`, 8, 10, 11, 76, 84 (biblatex), 141
- `bibliography` Env. (biblatex), 159
- `bibliography` Option (komascript), 10
- `bibliography` Wert (biblatex), 149
- `\bibliographystyle`, 8, 11, 76, 84, 98 (bibtopic), 79
- `\bibliographyunit` (bibunits), 83, 84
- Bibloscape, 245
- `biblist` Paket, 32
- `\bibname`, 92 (bibunits), 83
- `\bibnamedash` (biblatex), 199
- `\bibnamefont`, 64
- `\bibnamesep` Länge (biblatex), 162, 163
- `bibnote` BibTeX Entry-Typ, 23
- `bibnumbered` Wert (biblatex), 149
- `\bibnumfmt` (natbib), 98, 99
- `\bibopenbracket` (biblatex), 120
- `\bibopenparen` (biblatex), 120
- `\bibparsep` Länge (biblatex), 159, 162
- `\bibpreamble` (natbib), 102
- `\bibpunct`, 44 (natbib), 99
- `\bibsection` (natbib), 102
- `\bibsep` Länge (natbib), 98
- `\bibstyle`, 41
- `bibtex` Wert, 217 (biblatex), 28, 110
- `bibtex` Programm, 13, 15, 37, 92, 141, 153
- `bibtex8` Wert (biblatex), 28, 110
- `bibtex8` Programm, 13, 17, 39
- BibTeXML, 245
- `bibtexu` Wert (biblatex), 110
- `bibtexu` Programm, 40
- `bibtopic` Paket, 79, 80, 82, 142
- `bibunit` Env. (bibunits), 82, 83, 83, 84, 84, 85
- `bibunits` Paket, 79, 82, 83, 147
- `biburllcpenalty` Zähler (biblatex), 190
- `biburlnumpenalty` Zähler (biblatex), 190
- `biburlucpenalty` Zähler (biblatex), 190
- BioMail, 245
- `.blg` Dateiendung, 38, 217, 218
- Blocksatz, 6
- `book` BibTeX Entry-Typ, 16, 20, 25
- `bookauthor`, 19
- `bookinbook` BibTeX Entry-Typ, 20
- `Booklet` BibTeX Entry-Typ (natbib), 102
- `booklet` BibTeX Entry-Typ, 16, 20
- `\brackettext` (biblatex), 120
- `breakcites` Paket, 78
- `.bst` Dateiendung, 41, 43, 44, 63, 233, 238 (biblatex), 107 (bibtex), 50, 52 (natbib), 101–103
- `bst-Datei`
 - `abbrv` (bibtex), 56
 - `abbrv` (natbib), 103
 - `abbrvnat` (natbib), 103
 - `agms` (natbib), 103
 - `agu` (natbib), 103, 104
 - `alpha`, 32
 - `alpha` (biblatex), 122
 - `alpha` (bibtex), 54
 - `alpha` (natbib), 103
 - `apalike` (bibtex), 58
 - `apsrev4-1` (natbib), 100
 - `chicago` (bibtex), 57
 - `cospar` (natbib), 103
 - `dcu` (natbib), 103
 - `dechicago` (demo), 96
 - `dinat` (bibtex), 60
 - `egu` (natbib), 103, 105
 - `harvard` (bibtex), 61
 - `ieeetr` (bibtex), 59
 - `kluwer` (natbib), 103, 105
 - `natdin` (natbib), 102
 - `nature` (natbib), 98, 103
 - `plain`, 47, 83
 - `plain` (bibtex), 53, 55, 56
 - `plain` (natbib), 103
 - `plainDemo` (demo), 50
 - `plainnat` (natbib), 103
 - `unsort` (natbib), 103
 - `unstrt`, 63
 - `unstrt` (bibtex), 55
 - `unstrnat` (natbib), 103, 104
- `BSTINPUTS` Env.-Variable (bibtex), 41
- `btauxfile` Zähler (bibtopic), 82
- `\btPrintAll` (bibtopic), 79, 79, 80, 81
- `\btPrintCited` (bibtopic), 79, 79, 80, 81
- `\btPrintNotCited` (bibtopic), 79, 79, 81
- `\btPrintNotCitied` (bibtopic), 80
- `btSect` Env. (bibtopic), 78, 79, 79, 81, 82
- `btUnit` Env. (bibtopic), 79, 80, 81
- `btUnits` Env. (bibtopic), 79
- `Build.pl` Programm, 214
- C
- `\cbinput` (chapterbib), 85, 86
- `cbunit` Env. (chapterbib), 85, 86
- `.cbx` Dateiendung (biblatex), 110, 150, 154, 156
- `chapter` Wert (biblatex), 114, 115, 147
- `chapterbib` Paket, 79, 86, 102, 147
- `chem-angew` Wert (biblatex), 167, 169
- `chem-biochem` Wert (biblatex), 167, 170
- `chicago` Wert (biblatex), 167 (bibtex), 52

- chicago Paket, 57, 63
- \citation, 41, 235
- Citavi Free, 236
- \Cite
 - (biblatex), 137, 138
 - (cite), 90
- \cite, 7, 7, 8, 8, 9, 10, 10, 11, 14, 24, 41, 88, 93, 138–141
 - (biblatex), 111, 112, 123–128, 134–136, 137, 140, 156, 157, 191, 205
 - (bibtex), 55
 - (bibunits), 82, 84, 85
 - (cite), 89, 90, 90
 - (natbib), 94, 95
- cite Wert (biblatex), 114, 118
- cite Paket, 88, 89
- \cite*
 - (biblatex), 138
 - (bibunits), 85
- \Citealp (natbib), 97
- \citealp
 - (biblatex), 140
 - (natbib), 96
- \Citealp* (natbib), 97
- \citealp* (natbib), 96
- \Citealt (natbib), 97
- \citealt
 - (biblatex), 140
 - (natbib), 95, 96, 96
- \Citealt* (natbib), 97
- \citealt* (natbib), 96
- \citealtp (natbib), 95
- \Citeauthor
 - (biblatex), 188
 - (natbib), 97
- \citeAuthor (demo), 205
- \citeauthor
 - (biblatex), 139, 188, 189, 193, 193, 194, 205
 - (natbib), 96
- \Citeauthor*
 - (biblatex), 188
 - (natbib), 97
- \citeauthor*
 - (biblatex), 188, 193
 - (natbib), 96
- \citeCat (demo), 145
- \citedash (cite), 90
- \citedate (biblatex), 188
- \citedate* (biblatex), 188
- \citefield (biblatex), 139, 139, 188, 188, 189, 189
- \citeform (cite), 89, 90, 90
- \citefullauthor (natbib), 96
- \citeindexfalse (natbib), 101
- \citeindextrue (natbib), 101
- \citeleft (cite), 90
- \citelist (biblatex), 139, 188, 188
- \citemid (cite), 90
- \citemidpenalty (cite), 90
- \CiteMoveChars (cite), 90
- \citen (cite), 90
- \citenam (biblatex), 139, 188
- \citenum (natbib), 96
- \citenumfont (natbib), 98
- \Citep (natbib), 97, 97
- \citep
 - (biblatex), 140
 - (natbib), 94, 95, 98, 100–105
- \Citep* (natbib), 97
- \citep* (natbib), 94, 95
- citpages Option (biblatex), 134
- \citealias (natbib), 98
- \citeprepenalty (cite), 90
- \citepunct (cite), 90
- \citepunctpenalty (cite), 90
- \citereset (biblatex), 115
- \citeright (cite), 90
- \cites (biblatex), 140
- citesep Option (natbib), 94, 97
- \citesty (multibib), 92
- \citestyle (natbib), 98, 99, 103–105
- \Citet (natbib), 97, 97
- \citet
 - (biblatex), 140
 - (natbib), 94, 95, 95, 97, 98, 101–105
- \Citet* (natbib), 97
- \citet* (natbib), 94, 95
- \citetalias (natbib), 98
- \citetext (natbib), 96
- \citetitle (biblatex), 139, 188
- \citetitle* (biblatex), 139, 188
- citetracker Option (biblatex), 130–134
- \citeurl (biblatex), 139, 188
- \citeurl* (biblatex), 188
- \citeyear
 - (biblatex), 139, 188
 - (natbib), 96
- \citeyear* (biblatex), 188
- \citeyearpar (natbib), 96
- \city (cite), 88, 89
- \cleardoublepage, 10
- close Option (natbib), 94, 97
- collection BibTeX Entry-Typ, 20, 24, 25
- comma Option (natbib), 94, 97
- commentary BibTeX Entry-Typ, 23
- comp Wert (biblatex), 115
- conference BibTeX Entry-Typ, 16, 23
- constrict Wert (biblatex), 119, 120, 126, 131–134
- context Wert (biblatex), 119, 120, 130–134
- CSA, 245
- .csf Dateiendung, 39, 40
- csquotes Paket, 150
- .csv Dateiendung, 230
- custom-bib Paket, 107

D

- dashed Option (biblatex), 198
- .data Dateiendung (biblatex), 209
- datamodel Option (biblatex), 209, 210, 212
- date BibTeX Feld, 24
- Dateien
 - 885911at, 40

- alpha.bst, 77
- alpha2.bst, 77
- authoryear.cbx (biblatex), 154
- babelbst.tex, 62
- bib (biblatex), 144
- biber-tool.conf, 216
- biber.conf, 215, 216
- biblatex.cfg (biblatex), 109, 150
- biblatex.def (biblatex), 150, 154, 159, 161, 203
- bitool.zip, 32
- demo.lbx (biblatex), 155
- german.lbx (biblatex), 155
- ls-R, 41
- natbib.cfg (natbib), 98
- ngerman.lbx (biblatex), 155
- numeric.bbx (biblatex), 110
- numeric.cbx (biblatex), 110
- Recode.pm, 217
- recode_data.xml, 217
- standard.bbx (biblatex), 203
- test.bbx (biblatex), 157
- texmf.cnf (bibtex), 79
- Datenbank, 13
- .dbx Dateiendung (biblatex), 209
- debug Wert (biblatex), 110, 111, 122, 136, 136, 137, 138
- \DeclareAutoPunctuation (biblatex), 112
- \DeclareBibliographyCategory (biblatex), 144, 144, 145
- \DeclareBibliographyStrings (biblatex), 155
- \DeclareCiteCommand (biblatex), 156, 157, 193, 194
- \DeclareCiteCommand* (biblatex), 156
- \DeclareDatamodelConstant (biblatex), 152
- \DeclareFieldFormat (biblatex), 150, 151, 164, 188, 189, 200, 200, 205
- \DeclareLabeldate (biblatex), 115
- \DeclareLanguageMapping (biblatex), 155, 168
- \DeclareListFormat (biblatex), 188
- \DeclareNameAlias (biblatex), 196, 197, 197, 198, 199
- \DeclareNameFormat (biblatex), 153, 188, 196
- \DeclareRedundantLanguages (biblatex), 113
- \defaultbibliography (bibunits), 83, 84
- \defaultbibliographystyle (bibunits), 83, 84
- \defbibheading (biblatex), 143, 144, 144, 147, 148, 180, 181
- \defbibnote (biblatex), 180, 181
- \defcitealias (natbib), 98
- \defcounter (biblatex), 193
- defernums Option (biblatex), 143
- \DefineBibliographyStrings (biblatex), 164
- \DefineSortingScheme (biblatex), 111
- dinat Wert (bibtex), 52
- DOI, 158, 200, 207
- doi BibTeX Feld, 24
- (natbib), 101
- draft Wert (biblatex), 122, 135, 135
- .dvi Dateiendung, 236
- E**
- Ebd., 133
- edition BibTeX Feld, 19
- (biblatex), 205
- editor BibTeX Feld, 24
- eid BibTeX Feld (natbib), 101
- electronic BibTeX Entry-Typ, 23, 24
- \em, 64–66, 69
- \emph, 150
- Endnote, 241
- endonly Wert (biblatex), 113
- \enquote (biblatex), 150
- EPrint, 158
- et. al., 31
- \ExecuteBibliographyOptions (biblatex), 109, 158, 200
- F**
- filecontents Env., 247
- \FinalBibTitles (chapterbib), 87
- fiwi Wert (biblatex), 184
- Flattersatz, 6
- fontspec Paket, 247
- foot+end Wert (biblatex), 113
- \footcite (biblatex), 112, 125–137, 137, 138, 138, 143–145
- \footcites (biblatex), 140
- \footcitetext (biblatex), 137, 137, 138
- \footfullcite (biblatex), 125, 139
- footnote Wert (biblatex), 112, 127, 128, 130–134, 141
- footnote-dw Wert (biblatex), 167, 172
- footonly Wert (biblatex), 113
- format Wert (biblatex), 116
- full Wert, 217
- (biblatex), 121
- \fullcite (biblatex), 139
- G**
- gender BibTeX Feld (biblatex), 138
- git Programm, 214
- gost-footnote Wert (biblatex), 185
- H**
- harvard Paket, 63
- heading Option (biblatex), 143, 149
- historian Wert (biblatex), 167, 174
- historische-zeitschrift Wert (biblatex), 167, 179
- .html Dateiendung, 230, 236
- hyperref Paket, 11, 77, 113, 200
- \hyphen (biblatex), 164
- hyphen Wert (biblatex), 112
- \hyphenate (biblatex), 164
- I**
- ibidem, 126, 132
- ibidpage Option (biblatex), 126, 129, 130, 131–133
- ibidtracker Option (biblatex), 126, 131–134
- idemtracker Option (biblatex), 133
- ieee Wert (biblatex), 185
- ieeetr Wert (bibtex), 52
- \ifciteibid (biblatex), 119
- \ifciteidem (biblatex), 120
- \ifciteseen (biblatex), 119, 191

`\ifentryseen` (biblatex), 119
`\iffielldundef` (biblatex), 200
`\iffirstonpage` (biblatex), 118
`\ifgiveninits` (biblatex), 120
`\ifinteger` (biblatex), 164
`\ifloccit` (biblatex), 119
`\ifnameundef` (biblatex), 160
`\ifnumerals` (biblatex), 120
`\ifopcit` (biblatex), 119
`\ifsamepage` (biblatex), 118
`\ifsingletitle` (biblatex), 121
`\ifuseauthor` (biblatex), 160
 `image` BibTeX Entry-Typ, 23
 `inbook` BibTeX Entry-Typ, 16, 20, 25
`\include`, 85, 86, 87
 `incollection` BibTeX Entry-Typ, 16, 21, 25
 `inherit` Option (biblatex), 155
`\InheritBibliographyExtras` (biblatex), 155
 `init` Wert (biblatex), 121
 `inline` Wert (biblatex), 112, 123–126, 141
 `inproceedings` BibTeX Entry-Typ, 16, 22
`\input`, 76, 207
 (biblatex), 207
 `inputenc` Wert (biblatex), 171
 `inputenc` Paket, 110, 116, 219
 `inreference` BibTeX Entry-Typ, 22, 25
 INSPEC, 245
 `institution` BibTeX Feld, 24
 Internetadresse, 6
 ISBN, 158
`\isbn`, 249
 `isbn` BibTeX Feld (natbib), 101
`\isdot` (biblatex), 161
 ISI, 245
 ISI-Format, 245
 `iso8601` Wert (biblatex), 115
 ISSN, 158
 `issn` BibTeX Feld (natbib), 101
 `issuetitle` BibTeX Feld, 24
`\it`, 64, 65, 69
`\itemsep` Länge (biblatex), 162
`\itshape`, 98

J

`.jar` Dateiendung, 229
`\jobname` (biblatex), 209
 JStor, 246
 `jurabib` Paket, 25, 91, 107, 140
 `jurisdiction` BibTeX Entry-Typ, 23

K

`keywords` BibTeX Feld (biblatex), 142
 `kluwer` Wert (bibtex), 52
 `kpsewhich` Programm, 217

L

`labelalpha` Option (biblatex), 124
 `labelnumber` Option (biblatex), 123
`\labelnumberwidth` Länge (biblatex), 159

`\labelsep` Länge (biblatex), 162
`\labelwidth` Länge (biblatex), 159
 `labelyear` Option (biblatex), 125, 126
 `lastchecked` BibTeX Feld (natdin), 102
 `.lbr` Dateiendung (biblatex), 150, 154
`\leftmargin` Länge (biblatex), 199
 `legal` BibTeX Entry-Typ, 23
 `legislation` BibTeX Entry-Typ, 23
 `letter` BibTeX Entry-Typ, 23
 `location` BibTeX Feld, 24
 `loccittracker` Option (biblatex), 134
 `long` Wert (biblatex), 115
 `.los` Dateiendung (biblatex), 111
 `los` Wert (biblatex), 111
 LuaTeX, 110

M

`maintitle` BibTeX Feld, 26
 `makebib` Programm, 236
 `makebst` Paket, 62
`\makeindex` (biblatex), 114
 `manual` BibTeX Entry-Typ, 16, 21
 `mastersthesis` BibTeX Entry-Typ, 16, 25
 `masterthesis` BibTeX Entry-Typ, 23
 `mathesis` BibTeX Entry-Typ, 25
 `maxbibnames` Option (biblatex), 195
 `maxcitenames` Option (biblatex), 195
 `maxnames` Option (biblatex), 193, 195, 195, 197
 `maxnames` Zähler (biblatex), 195
`\mcite` (biblatex), 110
 `mcite` Paket, 100
`\mciteplus` (biblatex), 110
 `memandset` Wert (biblatex), 114
 `memonly` Wert (biblatex), 114
 Metronyme, 152
 `minbibnames` Option (biblatex), 195
 `mincitenames` Option (biblatex), 195
 `minfull` Wert (biblatex), 121
 `mininit` Wert (biblatex), 121
 `minnames` Option (biblatex), 193, 195, 197
 `minyear` Wert (biblatex), 121
 `misc` BibTeX Entry-Typ, 16, 21
`\mkbibacro` (biblatex), 164
`\mkbibangles` (biblatex), 157
`\mkbibbrackets` (biblatex), 120, 157
`\mkbibemph` (biblatex), 150, 150, 200
`\mkbibendnote` (biblatex), 113
`\mkbibfootnote` (biblatex), 113
`\mkbibnameaffix` (biblatex), 153
`\mkbibnamefamily` (biblatex), 151
`\mkbibnamefirst` (biblatex), 153
`\mkbibnamegiven` (biblatex), 151
`\mkbibnamelast` (biblatex), 153
`\mkbibnameprefix` (biblatex), 151, 153
`\mkbibnamesuffix` (biblatex), 151
`\mkbibparens` (biblatex), 120, 157
`\mkbibquote` (biblatex), 150, 161
`\mknumalph` (biblatex), 164
 MLA, 176
 `mla` Wert (biblatex), 167, 176

mlbibcontext Programm, 226
 mliblatex Programm, 226, 227
 mlibbibtex Programm, 225, 226
 month BibTeX Feld, 19
 movie BibTeX Entry-Typ, 23
 multibib Paket, 91, 142, 145
 music BibTeX Entry-Typ, 23
 musuos Wert (biblatex), 183, 186
 mvbook BibTeX Entry-Typ, 20
 mvcollection BibTeX Entry-Typ, 21
 mvproceedings BibTeX Entry-Typ, 22
 mvreference BibTeX Entry-Typ, 22

N

named Paket, 63
 Namenspräfix, 204
 \namepartfamily (biblatex), 152, 154, 206
 \namepartfamilyi (biblatex), 152, 154
 \namepartgiven (biblatex), 152, 154
 \namepartgiveni (biblatex), 152, 154, 206
 \namepartprefix (biblatex), 152, 154, 206
 \namepartprefixi (biblatex), 152, 154
 \nameparts (biblatex), 152
 \namepartsuffix (biblatex), 152, 154, 206
 \namepartsuffixi (biblatex), 152
 \nameref (nameref), 147
 nameref Paket, 147
 natbib Option (biblatex), 140
 natbib Paket, 25, 80, 93, 94, 99, 107, 110, 140
 nature Wert (biblatex), 167, 177
 \nbhyphen (biblatex), 164
 nbpar Wert (biblatex), 113
 .nbst Dateieindung (mlbibtex), 226
 \newbibmacro (biblatex), 156, 159
 \newbibmacro* (biblatex), 156
 \newblockpunct (biblatex), 113
 \newcites (multibib), 92, 93
 \newcities (multibib), 91
 \newcommand (biblatex), 156
 \newrefsection (biblatex), 114
 \newrefsegment (biblatex), 114
 \newtoggle (biblatex), 158
 ngerman Wert (biblatex), 155
 \nocite, 7, 8, 8, 10, 10, 32, 32, 139
 (biblatex), 123, 124, 139
 (bibtex), 55
 (bibunits), 84
 \nohyphenation (biblatex), 164
 \noligature (biblatex), 164
 none Wert (biblatex), 110–115, 142, 147
 \noosort, 30
 \normalfont (biblatex), 196
 \normalsize (biblatex), 196
 notcategory Option (biblatex), 145
 notesep Option (natbib), 94, 97
 notkeyword Option (biblatex), 143
 nottype Option (biblatex), 146
 nty Wert (biblatex), 110, 142
 numbers Option (natbib), 94, 97
 numeric Option (bibtex), 53

numeric Wert (biblatex), 110, 122, 123, 123, 124, 139, 141,
 141, 142, 162
 numeric-comp Wert (biblatex), 122, 123
 numeric-verb Wert (biblatex), 122, 124, 124
 numerical Wert, 30
 nyt Wert (biblatex), 110
 nyvt Wert (biblatex), 110

O

.ods Dateieindung, 230
 online BibTeX Entry-Typ, 21, 24
 Onlinequelle, 27
 open Option (natbib), 94, 97
 organization BibTeX Feld, 24
 other Wert (biblatex), 112, 171
 other* Wert (biblatex), 112
 otherlanguage Env. (biblatex), 112
 \overciteFont (cite), 90
 Ovid, 246

P

Pakete

accsupp, 249
 apalike, 63
 astron, 63
 authordate1-4, 63
 babel, 112, 155
 biblatex, 112, 113, 116, 155, 157, 158, 162, 167, 172,
 173, 187, 190, 207
 biblatex-chicago, 171
 biblist, 32
 bibtopic, 79, 80, 82, 142
 bibunits, 79, 82, 83, 147
 breakcites, 78
 chapterbib, 79, 86, 102, 147
 chicago, 57, 63
 cite, 88, 89
 csquotes, 150
 custom-bib, 107
 fontspec, 247
 harvard, 63
 hyperref, 11, 77, 113, 200
 inputenc, 110, 116, 219
 jurabib, 25, 91, 107, 140
 makebst, 62
 mcite, 100
 multibib, 91, 142, 145
 named, 63
 nameref, 147
 natbib, 25, 80, 93, 94, 99, 107, 110, 140
 polyglossia, 112
 splitbib, 142
 url, 6, 77, 102, 190, 238
 page Wert (biblatex), 118, 119, 129
 page BibTeX Feld, 19
 \pageref, 89
 pageref Option (biblatex), 132
 pagetracker Option (biblatex), 126, 129, 131, 132
 pagination BibTeX Feld, 24

par Wert (biblatex), 113
 \Parencite (biblatex), 137
 \parencite (biblatex), 112, 137, 137, 138, 147, 148
 \parencite* (biblatex), 138
 \parencites (biblatex), 140
 \parentext (biblatex), 120
 \parindent Länge (biblatex), 162
 part Wert (biblatex), 114, 115, 147
 patent BibTeX Entry-Typ, 21, 24
 Patronyme, 152
 PDF, 246
 pdf Wert (biblatex), 116
 pdflatex Programm, 80, 82
 performance BibTeX Entry-Typ, 23
 periodical BibTeX Entry-Typ, 21, 24, 25
 \phantomsection (hyperref), 11
 phdthesis BibTeX Entry-Typ, 16, 23, 25
 philosophy-classic Wert (biblatex), 167, 180
 philosophy-modern Wert (biblatex), 181
 plain Wert
 (biblatex), 112, 135, 136, 141
 (bibtex), 52
 polyglossia Paket, 112
 \printaddress (biblatex), 211, 212
 printbib Programm, 236
 \printbibliography, 8, 10, 11
 (biblatex), 123–132, 141, 142, 143, 143, 145, 147,
 148, 149, 159, 198, 206
 \printfield (biblatex), 188
 \printfile (biblatex), 114
 \printlist (biblatex), 188
 \printnames (biblatex), 194
 \printshorthands, 28
 (biblatex), 180, 181
 \printtext (biblatex), 159
 proceedings BibTeX Entry-Typ, 16, 22
 Proquest, 245
 \protect (biblatex), 116
 \providebibmacro (biblatex), 156
 \providebibmacro* (biblatex), 156
 \providecommand, 13
 ps Wert (biblatex), 116
 publisher BibTeX Feld, 24
 \putbib (bibunits), 83, 84
 \putbit (bibunits), 83

R

ragged Wert (biblatex), 113
 \RaggedRight (ragged2e), 6, 7, 76, 207
 \raggedright, 6
 (biblatex), 113
 .rdf Dateiendung, 230
 reading Wert (biblatex), 122, 134, 134
 \ref, 89
 reference BibTeX Entry-Typ, 22, 25
 \refname, 92
 refsection Env. (biblatex), 113, 147, 147–149
 refsection Option (biblatex), 147
 refsegment Env. (biblatex), 148, 149
 \renewbibmacro (biblatex), 156

\renewbibmacro* (biblatex), 156
 RePEc, 246
 report BibTeX Entry-Typ, 22
 \RequireBibliographyStyle (biblatex), 154
 \RequireCitationStyle (biblatex), 154
 review BibTeX Entry-Typ, 23
 RIS, 238, 246
 .ris Dateiendung, 230
 round Option (natbib), 94, 97
 .rtf Dateiendung, 230

S

\sc, 64
 Scheme Programm, 226
 school BibTeX Feld, 24
 science Wert (biblatex), 167, 178
 scifinder, 246
 section Option (biblatex), 148
 section Wert (biblatex), 114, 115, 147
 semicolon Option (natbib), 94, 97
 Set BibTeX Entry-Typ (biblatex), 202
 set BibTeX Entry-Typ, 22
 setandmem Wert (biblatex), 114
 \setcitestyle (natbib), 94, 97, 97
 setonly Wert (biblatex), 114
 setormem Wert (biblatex), 114
 setplusmem Wert (biblatex), 114
 \setpunctfont (biblatex), 115
 short Wert (biblatex), 115
 shorthand BibTeX Feld (biblatex), 191
 shorttitle Option (biblatex), 139
 Sigel, 28
 SilverPlatter, 246
 single female, 138
 singletitle Option (biblatex), 132, 133
 software BibTeX Entry-Typ, 23
 sortcities Option (biblatex), 125, 126
 Sortierkriterium, 30
 sorting Option (biblatex), 142
 space Wert (biblatex), 113
 splitbib Paket, 142
 spread Wert (biblatex), 118, 119, 129
 Springer Verlag, 201
 .sql Dateiendung, 230
 square Option (natbib), 94, 97
 standard BibTeX Entry-Typ, 23
 standard-luh-ipw Wert (biblatex), 182
 Stildatei, 62
 strict Option (biblatex), 133, 134
 strict Wert (biblatex), 119, 120, 131
 \stripzeros (biblatex), 189
 style Option (biblatex), 123, 125, 168–170, 172–186
 subbibintoc Wert (biblatex), 149
 subbibliography Wert (biblatex), 149
 subbibnumbered Wert (biblatex), 149
 subentry Option (biblatex), 123
 subsection Wert (biblatex), 114, 115, 147
 subtitle BibTeX Feld (biblatex), 160
 super Option (natbib), 94, 97, 140
 \supercite (biblatex), 112, 138, 138, 140

\supercites (biblatex), 140
 superecript Wert (biblatex), 141
 superscript Wert (biblatex), 112, 141
 suppbok BibTeX Entry-Typ, 20
 suppcollection BibTeX Entry-Typ, 21
 suppperiodical BibTeX Entry-Typ, 21
 .sxc Dateiendung, 230

T

Tagebuchnotation, 27
 techreport BibTeX Entry-Typ, 16, 23
 terse Wert (biblatex), 115
 .tex Dateiendung (mlbibtex), 226
 tex Programm, 37
 tex2bib Programm, 236
 texhash Programm, 77
 TEXMFOUTPUT Env.-Variable, 41
 \Textcite (biblatex), 138
 \textcite (biblatex), 138, 191, 195, 195
 \textnohyphenation (biblatex), 164
 \texttt (biblatex), 207
 thebibliography Env., 5, 7, 7, 9, 9, 10, 37, 42
 (chapterbib), 85
 \thebtauxfile (bibtopic), 78, 82
 \therefsection (nameref), 147
 thesis BibTeX Entry-Typ, 22, 25
 three Wert (biblatex), 113, 114
 three+ Wert (biblatex), 113, 114
 title Syntax (biblatex), 139
 title BibTeX Feld, 19, 26
 totoc Wert
 (komascript), 10
 (koma), 11
 trad Wert (biblatex), 167
 translator BibTeX Feld (biblatex), 160
 two Wert (biblatex), 113, 114
 two+ Wert (biblatex), 113, 114
 .txt Dateiendung, 230, 236
 type Option (biblatex), 146

U

Unicode, 12, 13

uniqueist Zähler (biblatex), 121
 uniquename Option (biblatex), 125, 126
 uniquename Zähler (biblatex), 121
 unpublished BibTeX Entry-Typ, 16, 22
 unsrt Wert (bibtex), 52
 URL, 6, 158, 207
 \url (url), 6, 77
 url BibTeX Feld, 24
 (natbib), 101, 102
 url Paket, 6, 77, 102, 190, 238
 urldate BibTeX Feld, 24
 \usebibmacro (biblatex), 156, 159, 193, 196

V

\verb (biblatex), 207
 verbose Wert (biblatex), 122, 130, 130–133, 138, 139
 verbose-ibid Wert (biblatex), 122, 131
 verbose-inote Wert (biblatex), 122, 132, 172
 verbose-inote-luh-ipw Wert (biblatex), 182
 verbose-note Wert (biblatex), 122, 132
 verbose-trad1 Wert (biblatex), 122, 133, 133
 verbose-trad2 Wert (biblatex), 122, 133, 133, 134
 verbose-trad3 Wert (biblatex), 122, 133, 134
 video BibTeX Entry-Typ, 23
 volumes BibTeX Feld, 26

W

www BibTeX Entry-Typ, 23, 24

X

xdata BibTeX Entry-Typ, 22
 X_{La}TeX, 110
 .xhtml Dateiendung, 236
 .xml Dateiendung, 230

Y

ydnt Wert (biblatex), 110
 year Wert (biblatex), 115
 year BibTeX Feld, 19
 ynt Wert (biblatex), 110
 yysep Option (natbib), 94, 97