

# Table of Contents

|  |     |
|--|-----|
| <b>Acronyms</b>  | i   |
| <b>Abstract</b>  | iii |
| <b>Zusammenfassung</b>   | v   |
| <b>Preface</b>   | xi  |
| <b>1 Introduction to theory and experimental methods</b>         | 1   |
| 1.1 Crystals, symmetry and order . . . . .                       | 1   |
| 1.2 Lattice, basis and reciprocal space . . . . .                | 2   |
| 1.3 Surface reconstructions . . . . .                            | 5   |
| 1.3.1 Park & Madden's notation . . . . .                         | 5   |
| 1.3.2 Wood's notation . . . . .                                  | 6   |
| 1.4 Kinematic theory of diffraction at . . . . .                 | 7   |
| 1.4.1 Single scatterers . . . . .                                | 8   |
| 1.4.2 Undistorted lattices . . . . .                             | 9   |
| 1.4.3 Distorted lattices - Debye-Waller effect . . . . .         | 13  |
| 1.4.4 Surfaces . . . . .   | 16  |
| 1.5 Surface electron diffraction techniques . . . . .            | 17  |
| 1.5.1 Low-energy electron diffraction (LEED) . . . . .           | 18  |
| 1.5.2 Spot profile analysis LEED (SPA-LEED) . . . . .            | 21  |
| 1.6 Electrons in lattices . . . . .                              | 22  |
| 1.6.1 Free electrons . . . . .                                   | 23  |
| 1.6.2 Bloch's theorem . . . . .                                  | 24  |
| 1.6.3 Nearly free electrons (NFE) . . . . .                      | 26  |
| 1.6.4 Distorted chains or Peierls distortion . . . . .           | 28  |
| 1.7 Phase-transitions . . . . .                                  | 29  |
| 1.7.1 Lev Landau's approach to phase-transitions . . . . .       | 29  |
| 1.7.2 Influence of impurities on phase-transitions . . . . .     | 33  |
| 1.7.3 Order-disorder transitions . . . . .                       | 33  |
| 1.7.4 Peierls transitions & charge density waves (CDW) . . . . . | 33  |
| <b>2 Experimental setup &amp; studied system</b>                 | 37  |
| 2.1 The MBE chamber . . . . .                                    | 37  |

|          |   |           |
|----------|---|-----------|
| 2.2      | Vacuum generation . . . . .   | 39        |
| 2.3      | Indium evaporator . . . . .   | 39        |
| 2.4      | Gas inlet system . . . . .  | 40        |
| 2.5      | Silicon . . . . .   | 43        |
| 2.5.1    | The Si(111) surface . . . . .   | 43        |
| 2.6      | Indium . . . . .  | 46        |
| 2.7      | Indium on Si(111) . . . . .   | 47        |
| 2.7.1    | (4×1) high-temperature phase . . . . .  | 48        |
| 2.7.2    | (8×2) low-temperature phase . . . . .   | 50        |
| 2.7.3    | (4×1)↔(8×2) phase transition . . . . .  | 50        |
| <b>3</b> | <b>On the striped Si(111)(8×2)-In reconstruction</b>  | <b>53</b> |
| 3.1      | Binary surfaces . . . . .   | 53        |
| 3.2      | Random number generation . . . . .  | 54        |
| 3.3      | Twofold correlation . . . . .   | 55        |
| <b>4</b> | <b>Simulating ,<i>A falling row of dominoes</i>‘</b>  | <b>59</b> |
| 4.1      | The uncorrelated seeding expansion . . . . .  | 60        |
| 4.2      | The correlated seeding expansion . . . . .  | 61        |
| 4.3      | Conclusions . . . . .   | 64        |
| <b>5</b> | <b>On the (4×1)↔(8×2) phase-transition I:<br/>Pristine indium reconstruction</b>              | <b>67</b> |
| 5.1      | Sample preparation . . . . .  | 67        |
| 5.2      | Measurements and data processing . . . . .  | 69        |
| 5.3      | The (4×1)↔(8×2) phase-transition . . . . .  | 71        |
| 5.3.1    | Driving of the phase-transition consecutively . . . . .                                       | 74        |
| 5.4      | Effect or artefact: That is the question! . . . . .   | 75        |
| 5.4.1    | Descriptive functions . . . . .   | 76        |
| 5.4.2    | Influence of rate of temperature change . . . . .   | 78        |
| 5.4.3    | Influence of the age of the indium reconstruction . . . . .                                   | 81        |
| 5.5      | Profiling the (4×1)↔(8×2) transition<br>... or putting the SPA in front of the LEED . . . . . | 82        |
| 5.6      | Thermal equilibration and driven phase-transitions . . . . .                                  | 86        |
| <b>6</b> | <b>On the (4×1)↔(8×2) phase-transition II:<br/>Ageing by controlled adsorption</b>            | <b>91</b> |
| 6.1      | Measurements . . . . .  | 92        |
| 6.1.1    | Ar adsorption . . . . .   | 92        |
| 6.1.2    | O <sub>2</sub> adsorption . . . . .   | 93        |
| 6.1.3    | H <sub>2</sub> O adsorption . . . . .   | 95        |
| 6.2      | Influence of adsorption . . . . .   | 95        |
| <b>7</b> | <b>On the (4×1)↔(8×2) phase transition III:<br/>Rough silicon substrate</b>                   | <b>99</b> |
| 7.1      | Influence of rough silicon substrates . . . . .   | 99        |

|                                    |            |
|------------------------------------|------------|
| <b>TABLE OF CONTENTS</b>           | <b>ix</b>  |
| <b>8 Summary &amp; Conclusions</b> | <b>103</b> |
| <b>Outlook</b>                     | <b>104</b> |
| <b>Bibliography</b>                | <b>118</b> |
| <b>Lebenslauf</b>                  | <b>xv</b>  |